



 Marshalls

*Gardens and Driveways
Collection*





Make space for every moment

Your dream space starts here



Inspiration Starts Here

- 6 Make Space for Every Moment
- 8 The Marshalls Way
- 10 4 Simple Steps to Get Started
- 12 Marshalls Register

Garden Paving

Natural Stone Paving

- 17 Scoutmoor®
- 18 Sawn Versuro®
- 20 Granite Eclipse®
- 22 Antique Alverno®
- 23 Casarta Slate®
- 24 Towngate®
- 26 Natural Slate
- 27 Alvanley® Pavers
- 28 Limestone Aluri®
- 30 Indian Sandstone Riven

Porcelain Paving

- 32 SYMPHONY® Elements, Corten
- 34 SYMPHONY® Elements, Metallic
- 36 SYMPHONY® Matte
- 37 SYMPHONY® Planks
- 38 SYMPHONY® Urban
- 39 SYMPHONY® Lapis
- 40 SYMPHONY® Original
- 42 Ardara
- 43 Arrento® Encore
- 44 Arrento®

Concrete Paving

- 47 Woodstone®
- 48 Argent®
- 50 Heritage®
- 51 Perfecta®
- 52 Firedstone®
- 53 Saxon®
- 54 Textured Utility
- 55 Utility



Driveway Paving

Natural Stone Driveways

- 59 Driveway Setts
- 60 Natural Stone Setts
- 61 Scoutmoor® Setts
- 62 Granite Eclipse® Setts
- 64 Farnley® Setts

Porcelain Driveways

- 66 SYMPHONY® Plus Drive
- 67 Tempo® Crafted
- 68 Tempo® Original

Concrete Driveways

- 71 Drivesys® Riven Stone
- 72 Drivesys® Original Cobble
- 74 Drivesys® Flamed Stone
- 75 Drivesys® Split Stone
- 76 Drivesett Argent Priora®
- 77 Driveline Metro®
- 78 Lunar®
- 80 Drivesett Argent®
- 81 Drivesett Tegula Priora®
- 82 Drivesett® Tegula
- 84 Drivesett Coppice®
- 85 Driveline Nova®
- 86 Savanna®
- 88 Drivesett Natrale®
- 89 Driveline Priora®
- 90 Standard Block Paving

Drainage

- 92 Driveline Drain®

Finishing Touches

Natural Stone Walling

- 97 Sawn Versuro®
- 98 Traditional Natural Stone
- 99 Stoneface® Textured
- 100 Stoneface® Sawn Veneer
- 102 Stoneface® Drystack Veneer

Concrete Walling

- 104 Argent®
- 105 Croft Stone®
- 106 Marshalite®
- 108 Tegula
- 109 Phoenix Facing Brick
- 110 Bullnose Steps
- 112 Coping & Caps
- 114 Kerbs & Edging
- 122 Borders
- 124 Jointing Compounds
- 133 Extras

Product Information

- 138 Technical Information
- 146 Hard Landscape Guarantee
- 146 Split Pack Service


Make space for every moment





We all need places that make us feel happier, safer, and more sociable. Marshalls supply the UK's leading landscaping products and the trusted expertise - to do just that.

With support every step of the way, we can help you create a stunning, practical garden or driveway that lasts, in a design that's true to you.



The Marshall's Way

For more than 130 years, we have been helping our customers across the UK transform their outdoor spaces.

The result: A new patio or driveway that's as beautiful as it is usable, adding value to properties, and creating a space to make a lifetime of memories.



Made in Britain

87%* of all our domestic manufactured products are made in Britain, giving us more stock control, while allowing us to closely monitor product quality and working practices. By shopping our Made In Britain range, you're reducing your carbon footprint and supporting local manufacturers.



MaxiMix®

MaxiMix creates premium concrete products with unique surface aesthetics. Alongside showcasing an enhanced surface colour, products created using our MaxiMix Technology also benefit from reduced water staining and efflorescence while encompassing increased durability - perfect for any paving project.



Fairstone®

All of our natural stone is produced in line with a clear set of ethical values based upon the ETI Base Code, with a full supply chain transparency programme delivered and monitored by our business and human rights team.



Bespoke Service

Create a space that is truly unique, with a more creative approach to our innovative stone and porcelain collection. Call the Marshalls team on **0345 820 5000**, where our specialists will guide you through the process, provide accurate timescales and transform your vision into reality.



Stone Standard

Rigorously tested by an independent UKAS-accredited lab, our Indian Sandstone boasts low water absorption, flexural strength and frost resistance, exceeding British Standards. Our Indian Sandstone also provides unrivalled strength, durability, and ease of installation.



Home Delivery

Most of our products are available for home delivery, meaning you can get the product you need, delivered exactly where you want. You can also track your orders direct to your door using our delivery tracking service. *Minimum orders apply.*

4 Simple Steps to Get Started.

From your perfect patio to a driveway that stuns, choosing the right designs, products, and people to install your outdoor space is important. We make the process simple.



Seek out your style



Take time to consider what's best for you and your home, define what you want from your space and create a mood board (Pinterest is great for this) with designs, shapes, colours, materials, and anything else you're drawn to.

Touch and feel



Visit our website to find your local Marshalls display or order samples so you can get a feel for the materials - we'll deliver them straight to your door. These will pave the spaces you'll entertain in, relax in, and come home to - so find what feels right.

Find an installer



Bring your project to life with a Marshalls accredited installer. We'll help you find reliable paving or driveway installers using our unique and trusted register. We're proud to champion the work of these independent landscape contractors, who we regularly assess.

Place your order



Browse the largest choice of proven quality products and accessories in the UK, ready to order online for delivery or to collect from our stockists. Your installer can help you find the perfect choice for your space.

Quality set in stone

Our register of Marshalls accredited installers can help you find a reliable independent business to install your patio or driveway.

While not employed by Marshalls, we regularly assess everyone in our register for their installation skills to offer the Marshalls Hard Landscape Guarantee.

This covers Marshalls products for 10 years, and if your installer ceases trading, we'll resolve any workmanship defects for five years. For more information, see page 146.



Pick the perfect installer in 1-2-3

Making the process to your new outdoor space as smooth as possible is easy when you have the right people. As well as our products and expertise, we can help you find trusted installers to get the job started (and finished).

1 Plan ahead

Installers are usually very busy, so make sure you've done some planning in advance and contact them ahead of schedule to avoid disappointment.

2 Check them out

View an installer's online profile to see if their skills and services match your requirements. Ask to see previous examples for inspiration, and read customer reviews.

3 Get quotes

Once you've looked at a few installers, invite more than one to quote for the project. This is a big investment and you want to be happy with who you've selected.






Planning a patio paradise

Your sanctuary outdoors.

Coffee and croissants at dawn. A moment alone, lost in a book. Rumbling bees. Sweet, smoky barbecues, surrounded by friends. From the first snapdragon of spring to golden autumn evenings, our outdoor spaces can make our souls feel lighter. With your wishes and dreams plus our products and expertise, you can create your own slice of paradise for the moments that truly matter in life.

Whether you're creating a sanctuary for quiet moments or a vibrant hub for entertaining, your patio design is ultimately determined by how you want to use it, and how you want it to feel.





- 1 Granite Eclipse® Dark (page 20)
- 2 Heritage® Calder Brown (page 50)
- 3 Towngate® Brown Multi (page 24)
- 4 Alvanley® Pavers (page 27)
- 5 SYMPHONY® Corten Copper (page 32)
- 6 SYMPHONY® Urban Steel (page 38)

Natural Stone Paving





Scoutmoor Diamond Sawn

Scoutmoor®

This stunning, premium British Yorkstone features in many iconic and prestigious locations across the UK, including Trafalgar Square owing to its timeless style and impressive technical performance. Scoutmoor is predominantly blue/grey in colour with sweeping variable brown bands.

Co-ordinating driveway setts available.

Available colours



Diamond Sawn



Rustic

Project Pack

	Dimensions (mm)	Coverage
	600 x RL x 20	15 linear metres
	400 x RL x 20	15 linear metres
	200 x RL x 20	15 linear metres
	Total	18m²

RL = Random length. This 18m² pack is made up of random length pieces between 300 - 900mm.

Sizes and coverage are actual and do not include joint width. See [page 140](#) for specific installation guidelines.

This range is available as part of our bespoke service.






*Sawn Versuro Autumn Bronze Multi
Also shown: Sawn Versuro bespoke steps and bespoke circle
Design & Install by J & D Castle Chichester*

Sawn Versuro®

Our Sawn Versuro collection is carefully hand selected from only the finest Indian Sandstone. This versatile range combines aspirational looks and performance with durability and elegance, bringing to life the charm of natural stone.

Co-ordinating steps, walling, coping and edging available.

Available colours



Caramel Cream
Multi



Golden Sand
Multi



Autumn Bronze
Multi



Antique Silver
Multi

Large Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	1210 x 1210 x 22	8	11.71m ²
	1260 x 760 x 22	14	13.41m ²
	1010 x 760 x 22	14	10.75m ²
	760 x 760 x 22	16	9.24m ²

Standard Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	855 x 570 x 22	35	17.06m ²
	570 x 570 x 22	60	19.49m ²
	570 x 285 x 22	120	19.49m ²

Linear Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	1210 x 310 x 22	25	9.38m ²
	1210 x 210 x 22	25	6.35m ²

Sizes and coverage are those attained when laid with a 10mm joint. See page 140 for specific installation guidelines.

Split packs available.

This range is available as part of our bespoke service.





Granite Eclipse Dark

Also shown: Granite Eclipse Light border and Stoneface Drystack Veneer walling

Design & Install by R & A Garden Landscapes Ltd, Birmingham

Granite Eclipse®

A modern and stylish patio paving with a lightly flamed surface texture means it is extremely slip-resistant and guarantees precision, durability and consistent good looks. Granite Eclipse Dark features natural veining throughout, giving beautiful character to this natural stone.

Co-ordinating steps, borders & driveway setts available.

Available colours



Light



Dark



Graphite

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	1212 x 606 x 30	16	11.75m ²
	909 x 606 x 25	25	13.77m ²
	606 x 606 x 25	50	18.36m ²
	606 x 303 x 25	100	18.36m ²
	806 x 206 x 25	30	4.98m ²

Project Pack

	Dimensions (mm)	No. Units	Coverage
	606 x 606 x 25	24	
	606 x 303 x 25	35	
	303 x 303 x 25	34	
	Total	93	18.36m²

Sizes and coverage are those attained when laid with a 6mm joint. See page 140 for specific installation guidelines.

Split packs available.

This range is available as part of our bespoke service.



Antique Alverno®

An ethically sourced natural stone paving, which is specially processed to achieve a subtly distressed riven finish with soft, timework edges. Unlike many similarly priced natural stone paving products, Antique Alverno is carefully hand-selected to ensure consistent colour.

Available colours



Autumn
Bronze Multi




Golden Sand
Multi



Silver Limestone
Multi



Silver Birch
Multi



Antique Alverno Golden Sand Multi

Project Pack

	Dimensions (mm)	No. Units	Coverage
	855 x 570 x 22	17	
	570 x 570 x 22	17	
	570 x 285 x 22	18	
	285 x 285 x 22	19	
	Total	71	18.28m²

Sizes and coverage are those attained when laid with a 10mm joint. See page 140 for specific installation guidelines.

This range is available as part of our bespoke service.




Casarta Slate[®]

A beautiful, high quality slate from Brazil imparts a luxurious contemporary look. This naturally clean splitting slate has a gentle riven surface texture and is hand selected for colour consistency.

Co-ordinating steps available.


Available colours



Silver Grey



Black



Casarta Slate Silver Grey
Design & Install by All Seasons Landscapes, Stockton-on-Tees

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	810 x 810 x 20	25	16.4m ²
	810 x 405 x 20	50	16.4m ²
	405 x 405 x 20	100	16.4m ²

Project Pack

	Dimensions (mm)	No. Units	Coverage
	610 x 610 x 20	24	
	610 x 305 x 20	35	
	305 x 305 x 20	34	
	Total	93	18.61m²

Sizes and coverage are those attained when laid with a 10mm joint. See page 140 for specific installation guidelines.

Split packs available.

This range is available as part of our bespoke service.





Towngate®

This value range of sawn sandstone still provides the charm and character of natural stone, is ethically sourced and covered by the Marshalls Stone Standard. Towngate is loosely colour selected, resulting in a more random colour variation once installed.

Available colours



Buff Multi



Brown Multi



Grey Multi

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	915 x 610 x 18	37	20.65m ²
	610 x 610 x 18	64	23.81m ²
	610 x 305 x 18	128	23.81m ²

Project Pack

	Dimensions (mm)	No. Units	Coverage
	915 x 610 x 18	17	
	610 x 610 x 18	17	
	610 x 305 x 18	18	
	305 x 305 x 18	19	
	Total	71	20.93m²

Sizes and coverage are those attained when laid with a 10mm joint. See page 140 for specific installation guidelines.

Split packs available.

This range is available as part of our bespoke service.



Natural Slate

The rich aesthetic of this natural slate makes this a striking paving choice. The beautiful riven surface is achieved during the natural splitting process, which is expertly done by skilled stonemasons.

Available colours



Blue

Project Pack

	Dimensions (mm)	No. Units	Coverage
	610 x 610 x *	24	
	610 x 305 x *	24	
	305 x 305 x *	24	
	Total	72	15.63m²

* Due to natural splitting surface, thickness is between 18-24mm.

Sizes and coverage are those attained when laid with a 10mm joint. See [page 141](#) for specific installation guidelines.

This range is available as part of our bespoke service.



Natural Slate Blue



Alvanley[®] Pavers

These sandstone pavers offer technically superior performance and provide a unique and luxurious finish to any space. Designed for patios, paths or for detailing edgings with a subtle blend of colour variation and tumbled edges.

Available colours



Buff Blend



Silver Blend

Single Size Pack


Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

 305 x 105 x 22	600	19.22m ²
----------------------------------------------------------------------------------------------------	-----	---------------------

Sizes and coverage are those attained when laid with a 5mm joint. See **page 141** for specific installation guidelines.

Split packs available.

This range is available as part of our bespoke service.



Alvanley Pavers Silver Blend
Design & Install by Signature Landscapes Design & Build, Altrincham





Limestone Aluri Sylvern

Limestone Aluri®

The beautiful, natural texture of our ethically sourced limestone collection creates a truly unique finish in any setting. The lightly riven finish combined with its extreme durability is the ideal choice for family friendly gardens.

Available colours



Rustic Ochre
Multi



Silver



Sylvern



Charcoal

Single Size Packs

Silver, Sylvern, Charcoal

	Dimensions (mm)	No. Units	Coverage
	915 x 610 x 22	30	16.74m ²
	610 x 610 x 22	30	11.16m ²

Project Pack

	Dimensions (mm)	No. Units	Coverage
	915 x 610 x 22	14	
	610 x 610 x 22	14	
	610 x 305 x 22	14	
	305 x 305 x 22	14	
	Total	71	16.93m²

Limestone paving is susceptible to the elements and as a result will fade over time.

Sizes and coverage are those attained when laid with a 10mm joint. See page 141 for specific installation guidelines.

Split packs available.

This range is available as part of our bespoke service.



Indian Sandstone Riven

Available in three natural colour variations, our ethically sourced Indian Sandstone is a technically robust yet affordable paving that has been hand selected to give a rustic finish which suits just about any residential setting.

Co-ordinating circle kit available.

Available colours



Buff Multi



Brown Multi



Grey Multi



Indian Sandstone Riven Buff Multi

Design & Install by P & K Landscape & Building Solutions, Haddington

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	1140 x 570 x 18	35	22.74m ²
	855 x 570 x 18	45	21.93m ²
	570 x 570 x 18	70	22.74m ²
	570 x 285 x 18	140	22.74m ²

Project Pack

	Dimensions (mm)	No. Units	Coverage
	855 x 570 x 18	18	
	570 x 570 x 18	22	
	570 x 285 x 18	22	
	285 x 285 x 18	18	
	Total	80	20.96m²

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	915 x 610 x 18	37	20.65m ²
	610 x 610 x 18	64	23.81m ²
	610 x 305 x 18	128	23.81m ²

Project Pack

	Dimensions (mm)	No. Units	Coverage
	915 x 610 x 18	17	
	610 x 610 x 18	17	
	610 x 305 x 18	18	
	305 x 305 x 18	19	
	Total	71	20.93m²

Sizes and coverage are those attained when laid with a 10mm joint. See page 141 for specific installation guidelines.



Porcelain Paving





SYMPHONY Corten Copper

SYMPHONY[®] Elements Corten

Purposely selected for their bold aesthetics, SYMPHONY Elements combines the beauty of authentic metals with the long-lasting benefits of porcelain. Our Corten collection replicates metals which have been exposed to the elements, highlighting weathered textures and blends of shimmering colour.

Each pack comes with the right amount of primer and jointing compound.

Available colours



Copper



Bronze



Cobalt



Iron

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

1000 x 500 x 20	36	17.82m ²
-----------------	----	---------------------

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.





SYMPHONY Elements Teal
Design & Install by Dawson Landscapes, Hartlepool

SYMPHONY[®] Elements Metallic

Inspired by the latest colour trends, our Metallic collection offers contemporary designs that embody gleaming metal. Watch your patio subtly change shade throughout the day, as the natural light reflects from the surface.

Each pack comes with the right amount of primer and jointing compound.

Available colours



Pearl



Grey



Brown



Teal

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------



1000 x 500 x 20	36	17.82m ²
-----------------	----	---------------------

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.



SYMPHONY[®] Matte

The unique aesthetic of our Matte range allows you to create a stylish design for your project. Create stunning step risers, pathways or intricate borders, by combining solid colours with decorative tiles.

Each pack comes with the right amount of primer and jointing compound.

Available colours



Ornate



Deco



Botanic



Vintage



Cream



Carbon



Graphite

Single Size Pack

Dimensions (mm)	No. Units	Coverage
1000 x 500 x 20	36	17.82m ²

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.




SYMPHONY Planks Hampton

SYMPHONY® Planks

All the aesthetic benefits of timber decking with none of the associated performance issues. Our Planks collection will not rot or splinter - it also has a very high resistance to moss and algae growth making it the perfect long lasting solution.

Each pack comes with the right amount of primer and jointing compound.


Available colours



Hampton



Corrado



Birch



Oak

Single Size Pack

	Dimensions (mm)	No. Units	Coverage
	1200 x 300 x 20	48	17.28m ²

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.



SYMPHONY[®] Urban

Designed to create an industrial look and feel, this large on-trend format and neutral colours guarantees a wow factor wherever used.

Each pack comes with the right amount of primer and jointing compound.

Available colours



Clay



Stone



Ash



Steel

Single Size Pack

Dimensions (mm)	No. Units	Coverage
800 x 800 x 20	40	25.6m ²

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.



SYMPHONY Urban Ash

Design & Install by A Dunlop Landscapes, Prestwick



SYMPHONY[®] Lapis

Boasting all the beauty of classic sedimentary stone, typically found within the Italian Lombardy region, SYMPHONY Lapis combines a prestigious look and feel with all of the benefits of a modern, low maintenance porcelain paving.

Each pack comes with the right amount of primer and jointing compound.

Available colours



Beige



Grey



Anthracite

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------



800 x 800 x 20	45	28.8m ²
----------------	----	--------------------

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.



SYMPHONY Lapis Anthracite & Grey





*SYMPHONY Original Copper
Design & Install by Harpenden Block Paving Co, Harpenden*

SYMPHONY[®] Original

Bringing together the most loved options from our Classic and Natural range. With a choice of colours and sizes, SYMPHONY Original is sure to suit any project.

Each pack comes with the right amount of primer and jointing compound.

Available colours



Barley



Buff



Senna



Grey



Copper



Blue

Single Size Packs

Dimensions (mm)	No. Units	Coverage
 1200 x 600 x 20 Copper, Barley, Blue, Senna	26	18.72m ²
 600 x 600 x 20	64	23.04m ²

Beta Project Pack

Buff

Dimensions (mm)	No. Units	Coverage
 800 x 800 x 20	14	
 800 x 400 x 20	15	
 400 x 400 x 20	15	
 305 x 305 x 22	14	
 Total	58	16.16m²

Sigma Project Pack

Barley, Blue, Senna, Copper

Dimensions (mm)	No. Units	Coverage
 900 x 600 x 20	13	
 600 x 600 x 20	18	
 600 x 300 x 20	9	
 300 x 300 x 20	19	
 Total	58	16.89m²

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.




Ardara

This large format paving has been produced using high quality raw materials to re-create that polished concrete look. Technically very strong and hard wearing, with extremely low water absorption, Ardara provides a simple but stylish feel to any space.

Available colours



Moon



Ash



Grey

Single Size Pack

Dimensions (mm)	No. Units	Coverage
1200 x 600 x 20	30	21.6m ²

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.



Ardara Moon



DELIVER



Mid range

Arrento[®] Encore

A contemporary porcelain paving which combines warm colour tones with a subtle linear aesthetic, to offer a refreshing natural look. Arrento Encore is available in a range of sizes and colours, and is perfect for creating zones in any outdoor space.

Available colours



Platinum



Dune



Smoke



Auburn

Single Size Pack

Dimensions (mm)	Units	Coverage*
 900 x 600 x 20	50	27m ²
 600 x 600 x 20	64	23.04m ²
 200 x 900 x 20	144	25.92m ²

Due to differences in batches and tolerances, we do not recommend the blending of different single sizes to generate a random, mixed size installation. To achieve a multiple size design, please select a project pack and refer to the laying pattern.

All sizes quoted are based on nominal dimensions. Coverage is obtained when laid with a 5-8mm joint width. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.



Arrento Encore Smoke & Platinum






Arrento[®]

This elegant paving exhibits class leading strength and technical ability beneath its elegant designs. Arrento porcelain is exceedingly practical requiring minimal maintenance as it absorbs little or no moisture, offering few opportunities for moss and algae growth.

Available colours



Cream

Beige

Silver

Grey

Black

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	900 x 600 x 20 Cream, Silver, Grey, Black	48	25.92m ²
	600 x 600 x 20	64	23.04m ²
	200 x 900 x 20 Cream, Silver, Grey, Black	100	18m ²

Project Pack

	Dimensions (mm)	No. Units	Coverage
	600 x 600 x 20	24	
	600 x 300 x 20	24	
	300 x 300 x 20	24	
	Total	72	15.12m²

Due to differences in batches and tolerances, we do not recommend the blending of different single sizes to generate a random, mixed size installation. To achieve a multiple size design, please select a range where project packs are available, along with the relevant laying pattern.

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. See page 141 for additional product notes.

Split packs available.

This range is available as part of our bespoke service.



Concrete Paving





Driftwood

Woodstone®

Woodstone is almost indistinguishable from genuine old timber, offering a sought-after weathered appearance of real timber, that will never rot, warp or splinter. Made from high-strength concrete, Woodstone lends itself to natural settings where other paving may look intrusive.

Available colours



Driftwood

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	900 x 225 x 50	40	8.1m ²
	675 x 225 x 50	40	6.0m ²

Stepping Stones

	Dimensions (mm)	No. Units
	300-450mm dia x 40-75	60

Split packs available.





Argent Smooth Light

Argent[®]

Contemporary chic paving that brings together an attractive blend of high quality granite aggregates to create a smart, sophisticated and modern finish.

Co-ordinating walling, coping, edging & driveway setts available.

Available colours



Smooth,
Light



Coarse,
Light



Smooth,
Luna



Smooth,
Dark



Coarse,
Dark

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	600 x 600 x 38	25	9.0m ²
	600 x 450 x 40	25	6.8m ²
	450 x 450 x 38	56	11.3m ²
	400 x 400 x 38	60	9.6m ²
	200 x 600 x 38	25	3.0m ²

Sizes and coverage are actual and do not include joint width. See [page 141](#) for specific installation guidelines.

Split packs available.





Heritage Yorkstone

Concrete Paving

Heritage®

Heritage is cast from split stone flags with mason fettled edges. Versatile and elegant, this range offers a popular and attractive riven paving choice, with all the charm of genuine newly quarried Yorkstone.


Available colours




Yorkstone



Weathered Yorkstone



Calder Brown



Old Yorkstone

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	600 x 600 x 38	22	7.9m ²
<input type="checkbox"/>	600 x 450 x 38	22	5.9m ²
<input type="checkbox"/>	450 x 450 x 38	44	8.9m ²
<input type="checkbox"/>	600 x 300 x 38	44	7.9m ²
<input type="checkbox"/>	300 x 300 x 38	44	4.0m ²

Sizes and coverage are actual and do not include joint width. See [page 141](#) for specific installation guidelines.

Split packs available.





Perfecta Buff

Perfecta[®]

Offering a smooth, ground terrazzo finish, Perfecta has been designed to complement all property styles. This range features visible Yorkstone aggregates with a smooth finish and chamfered edge.

Available colours



Natural



Buff

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	600 x 600 x 35	30	10.8m ²
<input type="checkbox"/>	450 x 450 x 35	60	12.2m ²

Sizes and coverage are actual and do not include joint width.

Split packs available.



Firedstone[®]

Stylish and versatile paving, moulded from original flame treated and hand crafted flagstones. With an attractive colour palette and a light, tactile texture, Firedstone is designed to brighten and enhance even the shadiest of garden spaces.

Available colours



Fired York



Sunrise



Autumn



Dusk



Firedstone Autumn

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	600 x 600 x 38	22	7.9m ²
	600 x 300 x 38	44	7.9m ²
	300 x 300 x 38	44	4.0m ²

Project Pack

	Dimensions (mm)	No. Units	Coverage
	600 x 600 x 38	8	
	600 x 300 x 38	10	
	300 x 300 x 38	4	
	Total	22	5m²

Sizes and coverage are actual and do not include joint width. See page 141 for specific installation guidelines.

Split packs available.



Saxon[®]

Combines the functionality and durability of concrete paving with a distinctive and hardwearing textured finish. Using a blend of Yorkstone aggregate the practical, textured slip-resistant surface of Saxon is a popular choice with families UK wide.

Co-ordinating coping available.

Available colours



Natural



Buff

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
	600 x 600 x 35	30	10.8m ²
	450 x 450 x 35	60	12.2m ²
	600 x 300 x 35	30	5.4m ²
	300 x 300 x 35	60	5.4m ²

Sizes and coverage are actual and do not include joint width.

Split packs available.



Saxon Buff



Textured Utility

The ideal paving for practical areas around the home. This budget choice is hardwearing with a textured finish that adds character and slip resistance to properties.

Available colours



Natural

Buff

Charcoal

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	600 x 600 x 32	30	10.79m ²
<input type="checkbox"/>	450 x 450 x 32	64	13m ²

Sizes and coverage are actual and do not include joint width.
See [page 141](#) for specific installation guidelines.





Utility Pendle Buff

Utility

Utility paving offers a hardwearing and effective solution when basic paving is all that is required. Available in two surface finishes; Pendle has a riven profile, whilst Richmond has a flat, pimple surface.

Available colours




Pendle,
Buff




Richmond,
Buff



Pendle,
Natural



Richmond,
Natural



Pendle,
Charcoal

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	600 x 600 x 38	25	9m ²
<input type="checkbox"/>	450 x 450 x 32	60	13m ²

Utility paving is not suitable for decorative areas.

Sizes and coverage are actual and do not include joint width.
See [page 141](#) for specific installation guidelines.






Your driveway. your way

The promise of home.

Coming home to a beautiful, pulled-together driveway helps everything in life feel the same way. It's not just a place to park the car. Done right, a driveway is the first comfort you see pulling in from work. It's where you run for hugs as loved ones arrive, and where you wave goodbye when they leave.


Beyond kerb appeal, a driveway is a wonderful and welcoming space - one that keeps us grounded as life whirs by. Home is where the drive is, so make it yours.





- 1 Lunar® Rosa with Driveline Drain Charcoal (page 78)
- 2 Farnley® Setts Charcoal Multi (page 64)
- 3 Tempo® Original Steel (page 68)
- 4 Driveline Metro® Light Grey & Dark Grey Mix (page 77)
- 5 Drivesett Coppice® Cedar & Pennant Blend with an Oak Blend Border (page 84)
- 6 Driveway Setts Autumn Bronze (page 59)

Natural Stone Driveways





Driveway Setts bands of Silver Birch & Autumn Bronze
Also shown: Banded with Cropped Granite Setts

Driveway Setts

Our precisely cut driveway setts are perfect at adding a real touch of our luxury. These setts are produced from graded Indian Sandstone and hand selected for beautiful colour consistency.

Available colours



Autumn Bronze



Silver Birch

Project Pack

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	245 x 165 x 50	130	
<input type="checkbox"/>	165 x 165 x 50	90	
<input type="checkbox"/>	125 x 165 x 50	28	
	Total	72	8.28m²

Sizes and coverage are those attained when laid with a 10mm joint.
See [page 142](#) for specific installation guidelines.

Split packs available.



Natural Stone Setts

Natural Stone Driveway Setts are produced from specially selected Indian Sandstone, featuring naturally split stone to give a delicate riven or sawn surface. Hand selected for colour consistency and available in a range of sizes to create a truly outstanding driveway.

Available colours



Sawn & Tumbled,
Silver Birch



Split & Tumbled,
Silver Birch



Sawn & Tumbled,
Autumn Bronze



Split & Tumbled,
Autumn Bronze

Split & Tumbled Setts

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	210 x 110 x 50	400	9.24m ²

Sawn & Tumbled Setts

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	210 x 110 x 50	480	11.08m ²

Sizes and coverage are those attained when laid with a 10mm joint. See [page 142](#) for specific installation guidelines.

Split packs available.



Natural Stone Setts Split & Tumbled Silver Birch



Scoutmoor[®] Setts

Achieve an impressive finish with these stunning setts that are exclusive to Marshalls. Sourced from our very own quarry, this prestigious natural stone is predominately blue/grey in colour.

Co-ordinating paving available.

Available colours




Diamond Sawn

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

<input type="checkbox"/>	205 x 105 x 50	360	7.75m ²
--------------------------	----------------	-----	--------------------

Sizes and coverage are those attained when laid with a 5mm joint. See page 142 for specific installation guidelines.



Scoutmoor Setts Diamond Sawn





Sawn Granite Eclipse Setts Dark

Granite Eclipse[®]

Our stunning Granite Eclipse Setts are perfect for creating a contemporary driveway. Ethically sourced, with a rugged texture, they are sawn on all sides and flamed to deliver a modern format sett with excellent slip-resistant qualities. Our Cropped Granite Setts make an ideal border or pathway feature to driveways and patios.

Co-ordinating paving, edging & steps available.

Available colours



Sawn,
Light



Sawn,
Dark



Cropped,
Silver Grey

Sawn Project Pack

Light, Dark

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

	355 x 155 x 50	90
	255 x 155 x 50	60
	155 x 155 x 50	30
	Total	180 8.04m²

Cropped Single Size Packs

Silver Grey

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

	210 x 110 x 100	200 4.84m ²
	110 x 110 x 100	400 4.62m ²

Sawn Granite Eclipse Setts sizes and coverage are those attained when laid with a 5mm joint. Cropped Granite Setts sizes and coverage are those attained when laid with a 10mm joint. See page 142 for specific installation guidelines.



Farnley® Setts

Sawn on all six sides and then gently tumbled, these setts have been purposefully designed to achieve both contemporary and traditional patterns. Choose from three different stone types and blends; Buff Multi made from an Indian Sandstone, Charcoal Multi a robust Indian Basalt or Silver Blue Multi, a stunning Limestone.

Available colours



Buff Multi



Silver Blue Multi



Charcoal Multi

Single Size Pack

	Dimensions (mm)	No. Units	Coverage
	200 x 50 x 50	720	7.2m ²

Sizes and coverage are actual and do not include joint width. See page 142 for specific installation guidelines.



Split packs available.



Farnley Setts Silver Blue Multi



Porcelain Driveways





SYMPHONY Plus Drive Grey
Also shown: Sawn Granite Eclipse Setts Dark

Porcelain Driveways

SYMPHONY[®] Plus Drive

All the same fantastic advantages as standard porcelain paving, now for your drive. With the fantastic benefits of a strong concrete backing and a contemporary aesthetic finish, SYMPHONY Plus Drive is the perfect option for a modern finish.

Available colours



Grey



Charcoal

Single Size Pack

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	600 x 600 x 60	19	6.84m ²

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.

Split packs available.



Tempo[®] Crafted


Designed for driveway application, this 30mm thick, heavy-duty porcelain tile boasts an industrial inspired design, harnessing the contemporary feel of crafted concrete.

Each pack comes with the right amount of primer and jointing compound.

Available colours



Carbon



Smoke



Soot

Single Size Packs

	Dimension (mm)	No. Units	Coverage
	600 x 600 x 30	48	17.28m ²
	300 x 600 x 30	80	14.4m ²

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.

Split packs available.

Tempo Crafted Soot





Tempo Original Charcoal

Tempo[®] Original

Add elegance to your driveway with our 30mm thick, porcelain driveway range. Inspired by the beauty of natural stone, our heavy-duty porcelain is available in three classic colourways, for a timeless finish that suits almost any UK property.

Each pack comes with the right amount of primer and jointing compound.

Available colours



Steel



Charcoal



Raven

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	600 x 600 x 30	45	17.28m ²
<input type="checkbox"/>	300 x 600 x 30	80	14.4m ²

Sizes and coverage quoted are based on working dimensions, attained with a 5-8mm joint. This product comes with specific installation guidelines, see page 142 for additional product notes.

Split packs available.



Concrete Driveways



Drivesys[®] Riven Stone

An elegant driveway replicating lightly riven stone, but with the inherent strength and practicality of concrete. Complemented by crisp, straight edges, it offers an attractive and cost-effective alternative to natural stone.

Each pack comes with the right amount of jointing compound.

Available colours



Silver Grey



Basalt

Project Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

<input type="checkbox"/>	220 x 160 x 60	100
--------------------------	----------------	-----

<input type="checkbox"/>	200 x 160 x 60	60
--------------------------	----------------	----

<input type="checkbox"/>	180 x 160 x 60	80
--------------------------	----------------	----

<input type="checkbox"/>	160 x 160 x 60	20
--------------------------	----------------	----

<input type="checkbox"/>	120 x 160 x 60	30
--------------------------	----------------	----



Total	290	9.02m²
--------------	------------	--------------------------

Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Sizes and coverage are actual and do not include joint width. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.

Split packs available.



Drivesys Riven Stone Silver Grey & Basalt mix
Design & Install by Newleaf Landscapes, Alfreton





*Drivesys Original Cobble Iron Grey & Canvas mix
Design & Install by Arun Driveways, Little Hampton*

Drivesys[®] Original Cobble

Drivesys Original Cobble creates a realistic antique cobble stone look with all the benefits of an engineered concrete driveway. Use a single colour finish or blend a variety of colours to enhance the charm of any home. Co-ordinating roundtop edges are available.

Each pack comes with the right amount of jointing compound.

Available colours



Iron Grey



Canvas



Basalt

Project Pack

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	215 x 130 x 60	160	
<input type="checkbox"/>	185 x 130 x 60	80	
<input type="checkbox"/>	165 x 130 x 60	80	
<input type="checkbox"/>	145 x 130 x 60	80	
<input type="checkbox"/>	130 x 130 x 60	80	
	Total	180	10.93m²

Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Sizes and coverage are actual and do not include joint width. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.

Split packs available.



Drivesys® Flamed Stone

Create an impact with the prestigious look and feel of Welsh Pennant stone. The realistic stone face profiles and straight contemporary edges, along with hardwearing colour and finish, make this the perfect stone look driveway.

Each pack comes with the right amount of jointing compound.

Available colours



Blue Pennant

Project Pack

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	280 x 210 x 60	20	
<input type="checkbox"/>	250 x 210 x 60	20	
<input type="checkbox"/>	210 x 210 x 60	50	
<input type="checkbox"/>	170 x 210 x 60	20	
<input type="checkbox"/>	140 x 210 x 60	40	
	Total	150	11.02m²

Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Sizes and coverage are actual and do not include joint width. This product comes with specific installation guidelines, see [page 142](#) for additional product notes.

Split packs available.



Drivesys Flamed Stone Blue Pennant
Design & Install by Discover Paving & Landscaping, Cheshire



Drivesys® Split Stone

All the character of premium natural stone with the reliability of modern engineered concrete. This robust design is created using realistic split stone face profiles combined with a straight edge for a sophisticated result.

Each pack comes with the right amount of jointing compound.

Available colours



Basalt

Project Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

<input type="checkbox"/>	220 x 160 x 60	100
--------------------------	----------------	-----

<input type="checkbox"/>	200 x 160 x 60	60
--------------------------	----------------	----

<input type="checkbox"/>	180 x 160 x 60	80
--------------------------	----------------	----

<input type="checkbox"/>	160 x 160 x 60	20
--------------------------	----------------	----

<input type="checkbox"/>	120 x 160 x 60	30
--------------------------	----------------	----




Total	290	9.02m²
--------------	------------	--------------------------

Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Sizes and coverage are actual and do not include joint width. This product comes with specific installation guidelines, see page 142 for additional product notes.

Split packs available.



Drivesys Split Stone Basalt

Design & Install by Jason Clarke Classic Paving, Stockport



Drivesett Argent Priora[®]

The ultimate sustainable driveway option with no additional drainage required and no need for planning permission. Drivesett Argent Priora delivers the same contemporary granite look and appeal to your driveway with all of the peace of mind that comes with a permeable driveway.

Available colours



Light



Dark



Graphite

Project Pack		
Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/> 240 x 160 x 60	108	
<input type="checkbox"/> 160 x 160 x 60	135	
<input type="checkbox"/> 80 x 160 x 60	36	
 Total	279	8.06m²

The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS.

Sizes and coverage are actual and do not include joint width. See [page 143](#) for additional notes on legislation and installation guidelines.

Split packs available.



Drivesett Argent Priora Light



Driveline Metro[®]

Achieve a sharp contemporary look with a distinctive streamlined shape. Lightly washed to expose the aggregate and to give a premium finish, you can create an eye-catching design statement by mixing the four carefully selected colour options.

Available colours



Light Grey



Dark Grey



Rose



Maroon


Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

480 x 130 x 80	108	6.74m ²
----------------	-----	--------------------

Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.

Split packs available.



Driveline Metro Light Grey & Dark Grey mix
Design & Install by Esse Landscapes, Crawley





Lunar Shadow

Also shown: Driveliné Drain Natural

Lunar[®]

Create a driveway out of this world with Lunar. Developed with our customers in mind, unique granite inspired blends are brought to life through a patented colour application, creating a multi-hued, subtle, and elegant aesthetic.

Available colours



Ice



Rosa



Silver Dust



Shadow

Single Size Pack

	Dimensions (mm)	Units	Coverage
<input type="checkbox"/>	300 x 200 x 50	192	11.52m ²

Project Pack

	Dimensions (mm)	Units	Coverage
<input type="checkbox"/>	240 x 160 x 50	120	
<input type="checkbox"/>	160 x 160 x 50	216	
<input type="checkbox"/>	160 x 80 x 50	48	
Total		384	10.75m²

Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.

Split packs available.



Drivesett Argent[®]

Drivesett Argent is a superb substitute for natural granite and combines all the practicality and ease of installation of a concrete paving with the premium, cool, modern aesthetics of granite.

Co-ordinating paving, edging & walling available.

Available colours



Buff




Light



Dark



Graphite



Drivesett Argent Dark & Light
Design & Install by Classic Paving, Stockport

Project Pack

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	240 x 160 x 50	120	
<input type="checkbox"/>	160 x 160 x 50	216	
<input type="checkbox"/>	80 x 160 x 50	48	
	Total	384	10.75m²

Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.

Split packs available.



Drivesett Tegula Priora[®]

Drivesett Tegula Priora has been designed to manage heavy rainfall in a sustainable way, with surface water passing through into the ground below. As a result, there is no need for planning permission or any additional drainage.

Available colours




Traditional



Harvest



Pennant Grey



Drivesett Tegula Priora Harvest & Traditional
Design & Install by Sandstone Landscape Construction, York

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	240 x 160 x 60	232	8.91m ²
<input type="checkbox"/>	160 x 160 x 60	348	8.91m ²
<input type="checkbox"/>	120 x 160 x 60	492	9.45m ²

The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS.

This range is manufactured across the UK so colour variation may alter slightly to images represented.

Sizes and coverage are actual and do not include joint width. See page 143 for additional notes on legislation and installation guidelines.

Split packs available.





*Drivesett Tegula Charcoal
Design & Install by A Dunlop Landscapes, Preswick*

Drivesett[®] Tegula

Designed to create an established and time-worn appearance, this range of robust concrete blocks are one of the UK's most popular driveway choices and renowned for its lasting performance.

Co-ordinating walling & kerbs available.

Available colours



Harvest



Autumn



Traditional



Pennant Grey



Charcoal

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	240 x 160 x 50	284	10.91m ²
<input type="checkbox"/>	160 x 160 x 50	426	10.91m ²
<input type="checkbox"/>	120 x 160 x 50	606	11.64m ²

Project Pack

Traditional, Harvest, Pennant Grey, Charcoal

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	240 x 160 x 50	142	
<input type="checkbox"/>	160 x 160 x 50	152	
<input type="checkbox"/>	160 x 120 x 50	20	
	Total	314	9.73m²

This range is manufactured across the UK so colour variation may alter slightly to images represented. Due to possible batch colour variation, project packs should not be mixed with single sizes.

Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.

Split packs available - selected sizes only.



Mid range



84

101

Concrete Driveways

Drivesett Coppice®

Blended from light to dark in each colour mix, the single size pack contains five different blends which, when laid create an impression of multiple sized block paving. The blocks are lightly riven with an aged edge detail that creates a distinctive driveway.

Available colours



Oak Blend



Cedar Blend



Pennant Blend

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

<input type="checkbox"/> 240 x 160 x 50	250	9.6m ²
-----------------------------------------	-----	-------------------

Sizes and coverage are actual and do not include joint width.
See [page 143](#) for specific installation guidelines.

Split packs available.

Drivesett Coppice Cedar & Pennant Blend with an Oak Blend border detail
Design & Install by Classic Paving, Stockport





Driveline Nova Coarse Brindle & Pebble Grey mix
Design & Install by Garden TLC Ltd, Oldham

Driveline Nova[®]

A paving option with lots of design capabilities and versatility. From the successful combination of two contrasting colours, a larger size option and two textures, smooth and coarse, Driveline Nova gives a traditional product a contemporary edge.

Available colours




Smooth,
Brindle



Smooth,
Pebble Grey



Coarse,
Brindle



Coarse,
Pebble Grey

Single Size Pack

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	300 x 150 x 50	216	9.72m ²

Sizes and coverage are actual and do not include joint width.
See [page 143](#) for specific installation guidelines.

Split packs available.





Savanna[®]

An all round great quality, great value product. Designed to create a classic driveway look and finish, with hardwearing performance, these classic shaped blocks are available in a range of contemporary colours and sizes to provide the right aesthetic for every property style.

Available colours



Autumn



Traditional



Pennant Grey



Charcoal

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
□	240 x 160 x 50	300	11.52m ²
□	160 x 160 x 50	420	10.75m ²
□	120 x 160 x 50	540	10.37m ²
≡	200 x 50 x 60	800	8.0m ²

This range is manufactured across the UK so colour variation may alter slightly to images represented.

Sizes and coverage are actual and do not include joint width. See page 143 for specific installation guidelines.

Split packs available.






Drivesett Natrale Slate
Design & Install by Arun Driveways, Little Hampton

Concrete Driveways

Drivesett Natrale®

Drivesett Natrale uses realistic split stone face profiles to provide a cost effective and practical alternative to natural stone driveways. The varied selection of block sizes and warm colour mixes can be used to create attractive random designs.

Available colours



Slate

Single Size Packs

	Dimensions (mm)	No. Units	Coverage
<input type="checkbox"/>	240 x 160 x 50	300	11.52m ²
<input type="checkbox"/>	160 x 160 x 50	420	10.75m ²
<input type="checkbox"/>	120 x 160 x 50	540	10.37m ²

Sizes and coverage are actual and do not include joint width.
See [page 143](#) for specific installation guidelines.

Split packs available.





Driveline Priora Burnt Ochre

Driveline Priora®

The affordable permeable driveway solution, available in a range of attractive and popular colour options to enhance every home. Driveline Priora manages driveway drainage by allowing surface water to pass through the joints directly into the ground below, therefore not overloading the drains and reducing flood risk. Due to this, no planning permission or additional drainage is required.

Available colours




Buff



Bracken



Red



Burnt Ochre



Brindle



Charcoal

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

200 x 100 x 60	404	8.08m ²
----------------	-----	--------------------

The Priora Sustainable Drainage System (SuDS) has been specifically designed to manage heavy rainfall. New and replacement driveways are exempt from planning requirements when they use SuDS.

This range is manufactured across the UK so colour variation may alter slightly to images represented.

Sizes and coverage are actual and do not include joint width. See page 143 for additional notes on legislation and installation guidelines.





90

66

Concrete Driveways

Standard Block Paving

A cost effective block paving option, suitable for any style of home. Our standard block paving range offers a practical, longer-lasting and more attractive alternative to resin or asphalt products.

Available colours



Natural



Buff



Bracken



Sunrise



Brindle



Charcoal

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

<input type="checkbox"/>	200 x 100 x 50	488	9.76m ²
--------------------------	----------------	-----	--------------------

This range is manufactured across the UK so colour variation may alter slightly to images represented.

*Sizes and coverage are actual and do not include joint width. See **page 143** for specific installation guidelines.*

Standard Block Paving Bracken
Installed by James Bird Landscapes Ltd, Sheffield



Drainage





Driveline Drain Charcoal

Driveline Drain[®]

Driveline Drain is our concrete drainage system that provides a high performance solution to help reduce the risk of flooding and surface water. Designed to work with both contemporary and traditional styled projects, this product provides a more attractive and sustainable solution compared to metal or plastic drainage alternatives.

Available colours



Natural



Charcoal

Accessories



- 1: Driveline Drain
- 2: Rodding Box & Access Lid
- 3: Connector Plate

Full Pack

Dimensions (mm)	No. Units	Blocks (linear metre)
-----------------	-----------	-----------------------

150 x 100 x 168	240	24
-----------------	-----	----

Half Pack

Dimensions (mm)	No. Units	Blocks (linear metre)
-----------------	-----------	-----------------------

150 x 100 x 168	96	9.6
-----------------	----	-----

Accessories (2 & 3) are needed for a full installation. See installation guide for full details.

This product comes with specific installation instructions, see page 143 for additional product notes.

Split packs available.




Details that make all the difference

A personal haven.

Your outdoor areas are more than spaces blended with the elements. They're places to reconnect with nature, to relax with a drink, to find magic in the mundane and enjoy time with the people we love. And, when these spaces are so interwoven with joy, why settle for anything less than perfection?

Our driveway essentials and finishing touches ensure that everything is exactly how you'd envisioned - down to the smallest details.





- 1 Stoneface® Sawn Veneer Silver Multi (page 100)
- 2 Stoneface® Drystack Veneer Slate Dusk (page 102)
- 3 Drivesett® 4-in-1 Kerb Pennant Grey (page 115)
- 4 Stoneface® Sawn Veneer Autumn Bronze Multi (page 100)
- 5 Exterior Tile Grout Mid Grey (page 126)
- 6 Phoenix Facing Brick Cottage Mix (page 109)

Natural Stone Walling



Sawn Versuro®

Elegant Sawn Versuro walling will enhance any garden setting. Made from the same ethically sourced quartzite Indian Sandstone as the Sawn Versuro paving range to give a perfectly co-ordinated finish.

Co-ordinating paving & steps available.

Available colours



Caramel Cream
Multi




Silver Multi



Golden Sand
Multi



Autumn Bronze
Multi



Sawn Versuro Walling Silver Multi
Also shown: Argent Dark Coping

Project Pack

Dimensions (mm)	No. Units	Coverage
 505 x 105 x 100	28	
 405 x 105 x 100	28	
 305 x 105 x 100	28	
 205 x 105 x 100	32	
Total	116	4.26m²

Straight Coping

Dimensions (mm)	No. Units	Coverage
 500 x 136 x 50	50	

Sizes and coverage quoted are based on working dimensions, attained with a 5mm joint. See [page 145](#) for specific installation guidelines.



Traditional Natural Stone

A beautiful pitched or tumbled finish, providing the perfect choice for traditional yet striking walling designs. Made from ethically sourced sandstone, hand-selected for colour consistency and designed to blend perfectly with Marshalls natural stone paving products.

Available colours



Tumbled,
Autumn Bronze



Pitched Face,
Autumn Bronze



Tumbled,
Silver Birch




Pitched Face,
Silver Birch

Project Pack

	Dimensions (mm)	No. Units	Coverage
	310 x 100 x 70	215	4.67m ²
	230 x 100 x 70	290	4.67m ²

*Pitched Face Walling is faced on one side and two ends.
Tumbled Walling is faced on all sides.*

Sizes and coverage quoted are based on working dimensions, attained with a 10mm joint. See [page 145](#) for specific installation guidelines.



*Traditional Natural Stone Pitched Face Walling Silver Birch
Design & Install by Perfect Paving Ltd, Keston*



Stoneface® Textured

This stunning walling comes in a mix of smooth and textured finishes, with a variety of lengths, widths and thicknesses creating a truly unique looking walling. The mix in textures creates a more subtle colour blend creating a stunning and soft looking feature wall area.

Each pack comes with the right amount of primer and adhesive.

Available colours



Golden Sand
Multi



Silver Birch
Multi



Stoneface Textured Silver Birch Multi

Also shown: Sawn Versuro Antique Silver Multi Bullnose Steps as coping

Project Pack

Dimensions (mm)	No. Units	Coverage
Box A = 0.54m ²	18	8.91m ²
Box B = 0.45m ²	17	8.91m ²
Box C = 0.36m ²	11	9.45m ²
Total	46	1.35m²

Thickness calibrated to 15mm +/- 1.5mm.
Min order 1 kit only. 1 Kit will contain box A, B and C* including primer.

All products come with specific installation guidelines, see [page 145](#) for additional product notes.





Stoneface Sawn Veneer Autumn Bronze Multi
Also shown: SYMPHONY Elements Corten Bronze

Stoneface[®] Sawn Veneer

These beautiful natural stone veneers have been designed as cladding for existing or purpose built flat walls, combining all the aesthetics of sawn stone walling with the ease of the Stoneface installation method. Hand selected for a consistently matched colour blend that co-ordinates perfectly with all of the Sawn Versuro range.

Each pack comes with the right amount of primer and adhesive.

Available colours



Caramel Cream
Multi



Silver Multi



Golden Sand
Multi



Autumn Bronze
Mutli

Project Pack

	Dimensions (mm)	No. Units	Coverage
	500 x 100 x 15	4	
	400 x 100 x 15	4	
	300 x 100 x 15	4	
	200 x 100 x 15	4	
	100 x 100 x 15	4	
Total		20	0.6m²

All products come with specific installation guidelines, see page 145 for additional product notes.



Stoneface® Drystack Veneer

Achieve a stunning finish that transforms existing or purpose built flat walls quickly and easily. These attractive natural stone veneers use a clever Z-cut panel format to disguise joint lines for a seamless effect.

Each pack comes with the right amount of primer and adhesive.

Available colours



Oyster
Quartzite



Harvest Mix
Quartzite




Copper Slate



Slate Verte



Slate Dusk



Nero Quartzite



Nero Quartzite
Mirror

Single Size Pack

Dimensions (mm)	No. Units	Coverage
 150 x 550	7	0.577m ²


Corner Pieces

Copper Slate, Harvest Mix Quartzite,
Oyster Quartzite, Nero Quartzite, Slate Verte

Dimensions (mm)	No. Units	Coverage
 150 x 550	7	0.577m ²

Thickness calibrated to 15mm +/- 1.5mm.

All products come with specific installation guidelines, see [page 145](#) for additional product notes.



Stoneface Drystack Veneer Nero Quartzite



Concrete Walling



Argent[®]

Clean lines, cool grey colours and an attractive granite texture with sparkle gives Argent walling a modern look and feel.

Co-ordinating paving, walling, coping & driveway setts available.

Available colours



Light



Dark

Single Size Pack

Dimensions (mm)	No. Units	Coverage
440 x 100 x 140	90	6.1m ²

Sizes are actual, with coverage attained assuming a 10mm joint width. See page 145 for specific installation guidelines.



Traditional Natural Stone Pitched Face Walling Silver Birch
Design & Install by Perfect Paving Ltd, Keston



Croft Stone[®]

Designed specifically for the construction of small retained planter walls, Croft Stone walling is the perfect DIY choice. With no mortar required, the walls can be built and rebuilt to suit individual designs.

Available colours



Buff



Weathered

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

<input type="checkbox"/>	300 x 170 x 100	90	2.7m ²
--------------------------	-----------------	----	-------------------

Sizes and coverage are actual and do not include joint width. See [page 145](#) for specific installation guidelines.

For number of units required per linear measure please see website.

Split packs available.



Croft Stone Walling Weathered





106

Marshalite Pitched Face Ash Multi
Also shown: Argent Coping Dark

Marshalite[®]

Available in three natural and authentic stone finishes, a range of sizes and two attractive colours, Marshalite walling offers a versatile and effective choice to complement all garden design schemes.

Available colours



Split Face,
Buff



Pitched Face,
Buff



Rustic,
Buff



Pitched Face,
Ash



Rustic,
Ash

Split and Pitched Packs

	Dimensions (mm)	No. Units	Coverage
	440 x 100 x 140	90	6.1m ²
	300 x 100 x 65	297	6.9m ²
	220 x 100 x 65	360	6.2m ²

Rustic Packs

	Dimensions (mm)	No. Units	Coverage
	300 x 100 x 65	297	6.9m ²
	220 x 100 x 65	320	5.5m ²

Sizes are actual, with coverage attained assuming a 10mm joint width. See [page 145](#) for specific installation guidelines.



Tegula

Tegula walling features a high quality, rustic appearance designed to bring instant character to any property. The perfect combination to our popular Drivesett Tegula driveway paving.

Co-ordinating kerb & driveway setts available.

Available colours



Traditional

Single Size Pack

	Dimensions (mm)	No. Units	Coverage
	440 x 100 x 140	80	5.5m ²
	300 x 100 x 65	240	5.6m ²
	220 x 100 x 65	320	5.52m ²

Sizes are actual, with coverage attained assuming a 10mm joint width. See page 145 for specific installation guidelines.



Tegula Walling Traditional

Installed by Brockstone Landscape Construction Ltd, Liverpool



Phoenix Facing Brick

Recreating the timeless, warm look of quality crafted brickwork, Phoenix Facing Brick is made from concrete and offers the character and beauty found in historic handmade bricks, with the strength and durability of modern brick.

Available colours



Cottage Mix

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

 215 x 100 x 65	396	6.6m ²
----------------------------------------------------------------------------------------------------	-----	-------------------

Sizes are actual, with coverage attained assuming a 10mm joint width. See page 145 for specific installation guidelines.



Phoenix Facing Brick Cottage Mix
Also shown Antique Alverno Silver Birch Multi





Sawn Versuro Caramel Cream Multi

Bullnose Steps

Available colours



Sawn Versuro®,
Caramel Cream Multi



Sawn Versuro®,
Golden Sand Multi



Sawn Versuro®,
Autumn Bronze Multi



Sawn Versuro®,
Antique Silver Multi



Granite Eclipse®,
Light



Granite Eclipse®,
Dark



Granite Eclipse®,
Graphite



Casarta Slate®,
Silver Grey



Casarta Slate®,
Black

10 Step Kit

	Dimensions (mm)	No. Units
<input type="checkbox"/>	Centre Stone 560 x 350 x 50	10
<input type="checkbox"/>	Corner Radius 350 x 350 x 50	20

Centre Stone Pack

	Dimensions (mm)	No. Units
<input type="checkbox"/>	Centre Stone 1000 x 350 x 50	10
<input type="checkbox"/>	Centre Stone 560 x 350 x 50	30

Casarta Slate steps are 40mm thick.

Split packs available. Split packs are supplied in Single Step Kits.



Coping & Caps

Available colours



Argent®,
Light



Argent®,
Dark



Heritage®,
Yorkstone



Heritage®,
Old Yorkstone



Saxon®,
Buff



Drivesett®,
Traditional



Precast,
Off White

Argent Coping

	Dimensions (mm)	No. Units	m/pack
	600 x 136 x 50	50	30.5
	600 x 272 x 50	25	15.3

Heritage Coping

	Dimensions (mm)	No. Units	m/pack
	600 x 300 x 38	44	34.2

Saxon Coping

	Dimensions (mm)	No. Units	m/pack
	600 x 136 x 50	50	30.5
	600 x 272 x 50	25	15.3

Drivesett Coping

	Dimensions (mm)	No. Units	m/pack
	600 x 300 x 45	20	6

Precast Coping

	Dimensions (mm)	No. Units	m/pack
	600 x 140 x 50 to 30	56	33.6
	600 x 280 x 50 to 30	27	16.2

Precast Pillar Caps

	Dimensions (mm)	No. Units	m/pack
	380 x 380 x 76 to 32	24	
	280 x 280 x 63 to 32	48	

See page 145 for specific installation guidelines.

Kerbs & Edging



4-in-1 Kerb

One unit that gives four possibilities, Driveline 4-in-1 is the most contemporary version offering a smooth edging profile. Drivesett 4-in-1 has been subtly tumbled to give a timeworn appearance with rustic edges.

Available colours



Driveline® 4-in-1,
Brindle



Drivesett® 4-in-1,
Pennant Grey



Driveline® 4-in-1,
Charcoal



Driveline 4-in-1

Dimensions (mm)	No. Units
100 x 100 x 200	240



Drivesett 4-in-1

Dimensions (mm)	No. Units
100 x 100 x 200	240

This range is manufactured across the UK so colour variation may alter slightly to images represented.

See [page 145](#) for specific installation guidelines.

Split packs available.



Drivesett 4-in-1 Kerb Pennant Grey



Tegula Kerb Pennant Grey

Marshalls Block Kerb

All driveways will require some form of edge restraint for long-lasting structural stability. Provides attractive restraining edges for driveway and paving projects in some of our most popular aesthetics. These products can be laid easily to retain different shapes and orientations.

Available colours



Drivesett®,
Traditional



Drivesett®,
Harvest



Drivesett®,
Pennant Grey



Tegula®,
Traditional



Tegula®,
Pennant Grey



Savanna®,
Charcoal

Drivesett

Standard Kerb

Dimensions (mm)	No. Units
-----------------	-----------

 120 x 80 x 240	192
----------------------------------------------------------------------------------------------------	-----

Tegula

Standard Kerb

Dimensions (mm)	No. Units
-----------------	-----------

 130 x 160 x 250	120
-----------------------------------------------------------------------------------------------------	-----

Radial Internal & External

Dimensions (mm)	No. Units
-----------------	-----------

 130 x 160 x 96 x 250	60
----------------------------------------------------------------------------------------------------------	----

Return Internal & External

Dimensions (mm)	No. Units
-----------------	-----------

 160 x 160 x 250	1
-----------------------------------------------------------------------------------------------------	---

Savanna

Standard Kerb

Dimensions (mm)	No. Units
-----------------	-----------

 130 x 160 x 250	108
-------------------------------------------------------------------------------------------------------	-----

This range is manufactured across the UK so colour variation may alter slightly to images represented.

See [page 145](#) for specific installation guidelines.

Split packs available.

Keykerb®

Essential to the look and practicality of every project, Keykerb large and small units are designed to work as a barrier or restraint between soft or decorative landscaping and a driveway or paving space.

Visit our website for additional dimensions.

Available colour



Charcoal

LARGE PROFILES

Image No.	Image No.	Keykerb Large	Image No.	Dimensions (mm)	No. items/pack
1	2	Standard (Dual purpose bullnosed and half battered)	1	100 x 127 x 200	252
			2		
3	4	Radial Bullnosed (Dual purpose internal/external)	3	70 x 127 x 200	72
		90° Angle Internal (half battered)	4	127 x 127 x 200	
5	6	90° Angle External (half battered)	5	127 x 127 x 200	
		Radial. Half battered (Dual purpose internal/external)	6	70 x 127 x 200	72
7	8	90° Angle Internal (bullnosed)	7	127 x 127 x 200	
		90° Angle External (bullnosed)	8	127 x 127 x 200	

SMALL PROFILES

Image No.	Image No.	Keykerb Small	Image No.	Dimensions (mm)	No. items/pack
9	10	Standard (Dual purpose bullnosed and splay)	9	100 x 127 x 125	378
			10		
11	12	Radial. Splay (Dual purpose internal/external)	11	70 x 127 x 125	108
		90° Angle Internal Splay	12	127 x 127 x 125	
13	14	90° Angle External Splay	13	127 x 127 x 125	
		Radial. Bullnosed (Dual purpose internal/external)	14	70 x 127 x 125	108
15	16	90° Angle Internal (bullnosed)	15	127 x 127 x 125	
		90° Angle External (bullnosed)	16	127 x 127 x 125	

Keykerb Small Profile Charcoal

See page 145 for specific installation guidelines.

Split packs available.





Driveline Channel Charcoal

Driveline[®] Channel

Driveline Channel can be used to channel water to a soakaway within the property boundary in line with Government legislation. This product co-ordinates with many of the Marshalls Driveway products and a number of other surface materials.

Available colour



Charcoal

Single Size Pack

	Dimensions (mm)	No. Units	Linear m/pack
<input type="checkbox"/>	200 x 200 x 65	240	48

Drivesys[®] Roundtop Edging

Complimenting the full Drivesys driveway range, the Roundtop Edge defines a driveway giving it a contemporary and sleek appearance.

Available colour



Basalt

Single Size Pack

Dimensions (mm)	No. Units	Coverage
-----------------	-----------	----------

915 x 150 x 60	40	36.6 Linear M/pack
----------------	----	--------------------

Split packs available - minimum quantities apply.



Drivesys Roundtop Basalt



Drivesett Argent[®] Edging

Drivesett Argent Edging has the same premium granite look as the Argent range and can be used to match or contrast our driveway or paving range.

Available colours



Natural



Light



Dark



Drivesett Argent Natural Edging

Single Size Pack

Dimensions (mm) No. Units Coverage

 915 x 150 x 63 48 43.92 Linear M/pack

See [page 145](#) for specific installation guidelines.

Split packs available - minimum quantities apply.





Hewnstone Edging Light Buff

Borders

Available colours



Sawn Versuro®,
Caramel Cream Multi



Sawn Versuro®,
Golden Sand Multi



Sawn Versuro®,
Autumn Bronze Multi



Sawn Versuro®,
Antique Silver Multi



Round Top, White



Round Top, Buff



Contour, Buff



Victorian Rope Top



Saxon®, Buff



Hewnstone Edging,
Light Buff



Hewnstone Edging,
Autumn



Argent®, Light



Argent®, Dark

Sawn Versuro

Dimensions (mm)	No. Units
-----------------	-----------



900 x 150 x 50	20
----------------	----

Round Top

Dimensions (mm)	No. Units
-----------------	-----------



600 x 150 x 50	54
----------------	----

Contour

Dimensions (mm)	No. Units
-----------------	-----------



600 x 150 x 50	54
----------------	----

Victorian Rope Top

Dimensions (mm)	No. Units
-----------------	-----------



590 x 180 x 50	30
----------------	----

Saxon

Dimensions (mm)	No. Units
-----------------	-----------



600 x 136 x 50	50
----------------	----

Hewnstone

Dimensions (mm)	No. Units
-----------------	-----------



200 x 450 x 50	20
----------------	----

Argent

Dimensions (mm)	No. Units
-----------------	-----------



600 x 136 x 50	50
----------------	----

Split packs available - minimum quantities apply.




Jointing Compounds



Selecting the right jointing compound is vital, as every Marshalls Jointing Compound is made specifically for the material they will be installed with to create a strong and durable finish. To help you determine the most effective jointing compound for your project, we've put together the below installation matrix. For further information or guidance, please contact Group Technical Services on 0370 411 2233.

Installation	Kiln Dried Sand	Weatherpoint® 365	SYMPHONY® Jointing	Exterior Tile Grout	Exterior Jointing Grout	Drivesys® Jointing Compound
Ideal for Paving Installations	✓	✓	✓	✓	✓	
Porcelain Paving			✓	✓	✓	
Sandstone Paving		✓			✓ Smooth Surface Only	
Limestone Paving		✓				
Granite Paving				✓		
Marble Paving						
Slate Paving		✓				
Concrete Paving	✓	✓				
Ideal for Driveway Installations	✓				✓	✓ Drivesys only
Concrete Driveways	✓					
Natural Stone Driveway Setts					✓	
Porcelain Driveways (30mm)					✓	
Drivesys® Driveway System						✓
Application						
Joint Width	2-5 mm	10-15 mm	5-8mm	3-5mm	3-50mm & min 20mm depth	5-30 mm
Bed Type	Flexible	Rigid	Rigid	Rigid	Rigid	Semi-Flexible
Installation	Brush	Wet & Brush	Brush	Squeegee or Tile Blade	Squeegee or Brush	Wet & Brush
Installation Temperature	5-25°C	5-25°C	5-25°C	5-25°C	5-20°C	5-25°C
Weather Conditions	Dry	Dry/Light Rain	Dry	Dry	Dry, no rain within 6 hours of install	Dry/Light Rain
Technical Difficulty (★ = easy ★★★★★ = hard)	★	★★	★★	★★★★	★★★★	★★★★
Cure Time (depending on weather conditions)	n/a	24 hours crusting, 30 days fully cured	Walk on immediately	6-12 hours	Initial 1 hour	72 hours crusting, 30 days fully cured



Exterior Tile Grout Mid Grey

Also shown: SYMPHONY Matte Botanic & Carbon and SYMPHONY Elements Metallic Teal

Exterior Tile Grout

Available in a range of six contemporary colours, Exterior Tile Grout delivers a smooth and sleek look to all outdoor paving including Porcelain and Granite.

Available colours



White



Jasmine



Silver Grey



Mid Grey



Slate Grey



Anthracite

Single Size Tub

Weight (kg)	Joint size (mm)	Coverage
15	3-5	4m ²

Not recommended for use on a driveway, or with products laid on a flexible bed. Installation should be carried out by a landscaping professional.

Based on 600 x 600 x 20 paving unit with 3mm joint.

Please note: 12 month shelf life from date of manufacture.

Exterior Jointing Grout

Exterior Jointing Grout is a cementitious jointing grout which will deliver a traditional look to garden paving and driveways. Ideal for use with porcelain and some natural stone ranges.

Available colours



Natural



Charcoal

Single Size Tub

Weight (kg)	Joint size (mm)	Coverage
25	3-50	25m ²

Based on Sawn Versuro 560 x 560 with a joint width of 10mm.

Please note: Installation should be carried out by a landscaping professional. Not recommended for use on Drivesys or products laid on a flexible bed.

Please note: 12 month shelf life from date of manufacture.

Exterior Jointing Grout Natural

Weatherpoint® 365

Weatherpoint 365 all weather jointing material speeds up installation time, reduces labour involvement and can be laid all year round, come rain or shine. With no mixing or waste, Weatherpoint 365 will withstand light pressure washing.

Available colours



Buff



Grey



Weatherpoint 365 Grey

Single Size Tub

Weight (kg)	Joint size (mm)	Coverage
15	10-15	7m ²

This product is not a suitable jointing option for all paving materials. Therefore, it is not recommended for use with Granite Eclipse or porcelain paving ranges.

Coverage is a guide based on a 450 x 450 plan size with 10mm joints at 35mm deep. Minimum 20mm joint depth for paving.

Please note: 24 month shelf life from date of manufacture.

SYMPHONY[®] Jointing Compound

Developed specifically for use with the Marshalls porcelain paving ranges. Available in two colours to compliment all products in the range, this fine textured porcelain jointing compound offers a smooth, more aesthetically pleasing finish to your project.

Available colours



Buff



Stone Grey

Single Size Tub

Approximate coverage (m ²)	Kg per pack	Joint widths
16-23	20	3-8mm

*Coverage varies based on joint width and paving product being installed.
Minimum 20mm joint depth for paving.*

Please note: 24 month shelf life from date of manufacture.

SYMPHONY Jointing Compound Buff

Drivesys[®] Jointing Compound

Using Drivesys Jointing Compound along with our patented Drivesys block paving delivers unrivalled performance to your driveway.

Available colour



Stone Grey

Pack Size

	Approximate coverage (m ²)	Kg per pack	Joint widths
□	5	15	5-30mm

Please note: 24 month shelf life from date of manufacture.




Drivesys Jointing Compound Stone Grey


Kiln Dried Sand & Paving Primer

Complete your project using Marshalls Joint Filling Sand, a special kiln dried sand with a fine grading which falls easily into joints. Paving Primer is a high bond strength primer which is ideal for use on all outdoor paving.

Kiln Dried Sand



Paving Primer



Single Bag

	Weight per bag (kg)	Coverage per bag
	25	6m ²

Single Bag

	Weight per bag (kg)	Yield per bag (l)
	20	17

Extras





Extras

Telescopic Posts

Telescopic Security Post is a simple but effective security device. They can be used both in front of the garage and at the driveway entrance to deter theft.



Single Post

No. Item	Weight (kg)	Colours
1	22	Black, Yellow, Stainless Steel

Pedestals

Pedestals create a structurally robust 'floating floor' system which can be used with selected sizes and ranges of our porcelain, natural stone and concrete paving. Pedestals can be used on terraces, rooftops and for patio makeovers (where a stable base has already been installed).



Self-Levelling



Fixed Head



Stackable Support Pad



Sawn Versuro Caramel Cream

	Dimensions (mm)	No. Units
Adjustable Paving Pedestal	22-35	25
	35-55	
	55-95	
	95-165	
	165-235	
	200-270	
Self-levelling Paving Pedestal	40-56	25
	50-70	
	70-110	
	110-160	
	150-210	
	200-300	
Stackable Paving Pedestal	150 x 10	250
	150 x 15	

See [page 145](#) for specific installation guidelines.

Split packs available.

Green-Away[®]

The ideal solution to remove mould, algae and lichen from all patio, driveway and pavement surfaces. It's also perfect for prevention and maintenance on your new project, so apply annually to keep mould, algae and lichen from developing.

For step by step instructions, please visit our website.


Single Tub



Size	Coverage
------	----------

5L	300m ²
----	-------------------

Marshalls Green-Away comes in a handy 5L bottle covering up to a huge 300m² area when using our 12L professional sprayer.



Technical Information

All the information held within this brochure was correct at the time of print and is subject to change. We would therefore recommend that you check our website for the latest information and digital brochure. Alternatively, please contact our Group Technical Services on 0370 411 2233 or email grouptechnicalservices@marshalls.co.uk.

Important General Technical Information

Efflorescence

Efflorescence is a transient phenomenon of Ordinary Portland cement used in the manufacture of concrete products. The occurrence of efflorescence in the pores of the concrete can lead to the appearance of white patches on the surface or an overall lightening of colour, which is often mistaken for the product fading.

Whilst the appearance of efflorescence may be a concern, it is temporary and does not in any way affect the durability or long-term performance of the concrete. Natural exposure to weathering is generally sufficient to erode the efflorescence and indeed it is always recommended that an initial period of weathering be allowed to take place.

Responsibility cannot be accepted for its occurrence. For further information, contact Group Technical Services.

Other & Weathering

Weathering and site conditions can occasionally cause other variations in shade to appear. Differential weathering can cause patchy dark discolourations on the surface of individual units. This will generally diminish over time and will not affect long term performance. Natural stone may develop added markings, deposits or patches as mineral content oxidises.

All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant-life; specialist maintenance advice may need to be sought.

Marshalls cannot accept responsibility for any of the above conditions.

Maintenance

Paving materials require periodic cleaning to maintain their appearance. Regular sweeping to prevent the build-up of detritus is recommended.

Light coloured blocks, whilst structurally sound for driveway use, do emphasise tyre marks and oil spills on the driveway.

It must be accepted that these products will need more maintenance if the overall appearance is to be maintained.

Proprietary cleaning agents are widely available. However, care should be taken when buying cleaning agents as some varieties contain a concentration of acid, which can adversely affect the appearance of concrete products, clay and natural stone.

A trial on a small section of paving is always recommended prior to using on the full area.

For general cleaning of dirt and algae, vigorous brushing with a stiff yard broom with plenty of hot detergent solution (washing up liquid or non-bio washing powder), thoroughly rinsed with clean water should suffice. Repeated treatment may be required for paved areas sited beneath trees or in permanent/near permanent shade. In certain circumstances, prolonged contact with wet leaves can result in staining of the paved area. Such contact should be avoided wherever practical.

Power-washing

Power-washing with high-pressure equipment is not normally required. Should these methods be employed, the following precautions should be observed:

- i. Paving should be thoroughly swept to remove detritus (loose debris) that could act as an abrasive agent when moved by the force of a power jet.
- ii. A trial area should be tested before larger scale power-washing takes place.
- iii. No more than a medium pressure should be applied when washing paving.
- iv. The power-washing lance should be held at an oblique angle to the paving and at least 200mm (8") from the surface.
- v. If excess sand is washed from the joints during the washing exercise, it is important that the joints are re-sanded with similar materials upon completion.

- vi. If mortar joints between pavings are damaged during power-washing they should be re-pointed/made good with fresh pointing as required, to maintain the integrity of the paving.

For more information visit our website and download the Marshalls Cleaning & Maintenance Guide.

Suitability/Application

For more information visit our website and download the Marshalls Cleaning & Maintenance Guide.

The paving flags illustrated in this literature are primarily intended for domestic/landscape use only.

Paving flags suitable for areas subject to intense foot traffic, i.e. pedestrian precincts and commercial applications, etc. are detailed in separate literature. This literature is available on request by telephoning our Group Technical Services team.

For areas subject to vehicular overrun (driveways, parking areas, etc.), block paving products are recommended, (see Driveways section). The block paving products illustrated in this literature are intended for pedestrian and light vehicular overrun applications (driveways and similar).

For pavements subject to frequent overrun of heavy vehicles, block paving from our commercial/specification range should be used. These are detailed in separate literature, copies of which are available on request. Should customers be in doubt as to the suitability of any Marshalls product for a given application, please obtain guidance from Group Technical Services.

Colour Variation

The colours shown in this literature are as exact as photographic and printing processes will allow. You can get samples from our website. We strongly recommend that colours are judged and chosen from actual materials rather than photographic representation depicted herein. Although every effort is made to ensure consistency of product colour, variations between production batches can occur. We therefore recommend that, when purchasing materials,

especially in the case of larger quantities, they all come from the same batch and that products are thoroughly mixed on site by drawing from a minimum of three packs.

Batch Variation

Concrete

Concrete products are made from naturally occurring materials, which means these materials can vary in colour, resulting in a slight variation in a finished product. Despite the use of quality materials, modern and up to date manufacturing techniques and quality control, variation between production batches can occur. Whilst any differences are generally quite minor, they will be noticeable when units from two production batches are laid consecutively within a single area.

We would always advise that batch codes are checked to reduce the risk of product variation and ensure consistency of finish. To prevent this, when multiple packs are being laid in one consecutive area, please ensure you check that they are all from the same production. The batch label will display the product code, with the first two letters identifying the works of origin and the week number indicating which week of the year the product was produced.

Porcelain

Colour variation can occur during the manufacturing process of porcelain products. To minimise any variation issues in our ranges, Marshalls only source from first choice tiles, which means we only take product from a reduced colour scale. We aim to always send your order from the same batch code, which can be found on all packaging. Please check all pack information is consistent before installation. The batch code is present on all packaging and is usually shown as a letter, followed by a number.

For our porcelain ranges where multiple sizes are available, we also do not recommend mixing product, even where batch codes are consistent. This is due to product being manufactured at different locations.

If you have any concerns, please contact our Group Technical Services Team

Natural Stone

The natural origin of stone means that variation in colour, texture and markings is inevitable and is an inherent characteristic of all natural stone.

However, what differentiates Marshalls natural stone from our competitors is that all our stone goes through an agreed selection process for colour, which creates a more subtle and consistent blend across a finished project.

If you have any concerns, please contact our Group Technical Services Team.

Availability

Details of pack contents are listed for the guidance of stockists.

Product dimensions and weight, etc. are nominal and subject to manufacturing tolerances.

Trademarked and Patented Paving System

Priora is patented in UK and EP079168931.

® is used throughout the brochure to denote range that are registered trade marked in the UK (or in the UK/EU) in the name of Marshalls Mono Limited

Natural Stone

In natural stone iron spots can sometimes be identified, after installation. This is due to oxidisation of iron materials within the matrix of the stone. This does not effect the structural integrity of the stone.

Staining

Certain common garden chemicals such as Ferrous Sulphate can stain paving. Please check the information given on the container holding the chemical. If chemicals are spilt on the paving remove immediately by rinsing away with clean water.

Marshalls Commitment to Quality & Innovation

Marshalls is committed to innovative product development and manufacture. To help you obtain maximum enjoyment and long service from any Marshalls product, we would be pleased to make you aware of the following:

The evolution of new product design is continuous and information is subject to change without notice. Customers should check with the stockist to ensure that they have the latest details.

All Marshalls products are manufactured to the appropriate European Standard where applicable. Where products (or intended usage) lie outside the scope of a British (or European) Standard, Marshalls own standard will be employed.

All products are supplied subject to Marshalls Standard Conditions of Sale, a copy of which is available on request. Liability in respect of any statements, conditions, warranties and representations made on behalf of the Company is limited in accordance with the terms set out in the Standard Conditions of Sale.

Health and Safety

Care should be taken when handling and installing Marshalls products. Guidelines on the Control Of Substances Hazardous to Health (COSHH) are available for all Marshalls products, either through our website, or from Group Technical Services.

Marshalls Register

All Marshalls Register members are independent businesses and whilst assessed for their installation skills they are not employed by Marshalls.

Marshalls Register of installers are regularly inspected to ensure they comply with the membership agreement. Marshalls are not a party to the contract between the Registered installer and the customer. Marshalls cannot be held responsible for any installation undertaken by a Marshalls Register installer.

Becoming a Register Installer

Details of membership are available from Marshalls Register support team on 0345 820 5000 or visit www.marshalls.co.uk/installer

Paving Notes

Common to all Marshalls Natural Stone:

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone guarantee of quality. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources (see page 13 for more information).
- All Marshalls Indian Sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard.
- The natural origin of stone means variation in colour, texture and natural markings is inevitable. Marshalls strive through expert hand selection to ensure the integrity of each natural stone range, however as in all natural products some variation may occur.
- Natural Stone products come with specific installation guidelines.
- Please note granite and marble are not suitable for use with WeatherPoint 365.
- For best practice, please slurry prime all natural stone and porcelain paving using Marshalls Paving Primer.
- If you are laying any Marshalls patio materials for the first time, please contact Group Technical Services or visit our website www.marshalls.co.uk for installation advice.

Scoutmoor

- This pack is made up of random length pieces between 300 – 900mm. 15 linear metres of each gauge supplied. 18m² coverage without joints. Depending on the sizes in the pack the coverage with a joint will be between 18.5m² and 19m².
- This product is supplied 'direct to site' only.
- Slurry back natural stone to increase adhesion and prevent staining.
- It is recommended that you contact Group Technical Services for best installation advice when laying this paving.

Sawn Versuro

- Remember if used indoors this paving should be sealed with a proprietary water based acrylic sealant.
- When using Large Size, due to the weight of the units mechanically aided lifting is essential.
- Please note Large Sizes can only be delivered direct to site.
- Slurry back natural stone to increase adhesion and prevent staining.

Granite Eclipse

- As Granite Eclipse is a natural material, varying degrees of quartz veining may be apparent in some pieces. Occasionally small micro-fissures can be apparent within Granite Eclipse Graphite, these are not a sign of weakness and cause no issue technically to the stone.
- Make sure, if used indoors, paving is sealed with a proprietary water-based acrylic sealant.
- This paving is ideal for use with Exterior Tile Grout. We would advise the application of a Temporary Stone Sealer before the application of the grout to maintain the finish to the paving.
- Slurry back natural stone to increase adhesion and prevent staining.

Antique Alverno

- This paving is carefully calibrated to a consistent thickness to ensure speed and precision of installation.
- Slurry back natural stone to increase adhesion and prevent staining.

Casarta Slate

- Natural slate inevitably shows variation in colour, so viewing the actual samples is always recommended.
- Dark slate sometimes exhibit surface blemishes during installation, these will weather in over time.
- If used indoors an appropriate water-based sealant is recommended.
- Slurry back natural stone to increase adhesion and prevent staining.

Towngate

- This paving has not met the rigorous colour tolerance grading given to our premium grade Versuro Sandstone, therefore more colour variation may be apparent when laid.
- Slurry back natural stone to increase adhesion and prevent staining.

Natural Slate

- This is a natural split product; the thickness can therefore vary between 18-24mm.
- Slurry back natural stone to increase adhesion and prevent staining.

Alvanley Pavers

- This product is not intended for driveways.
- Requires a rigid installation with a joint width of 10mm.
- Slurry back natural stone to increase adhesion and prevent staining.

Limestone Aluri

- This natural limestone may inevitably present minor variations in colour, texture and markings. This is a natural characteristic of this product.
- Please note that this product can lighten slightly over a period time. This is a natural weathering process. Cleaning with acid based products should be avoided because this will cause a rapid lightening of the surface.
- Install on a full mortar bed. Slurry back natural stone to increase adhesion and prevent staining.

Indian Sandstone Riven

- Surface imperfections may present themselves on the surface of the product following installation. This happens when natural minerals already held within the stone, become exposed to the elements. This is aesthetic and does not impact the durability of the stone itself. If this causes a concern, there are products available to remove most imperfections.
- Always lay larger face upwards.
- Slurry back natural stone to increase adhesion and prevent staining.

Porcelain SYMPHONY, Adara & Arrento

- Prior to handling and installation, check the paving for damage. Complaints about visible damage will not be accepted after installation.
- There may be some colour variation between production batches. Batch codes, quantity and colour should therefore be checked prior to install.
- A dry lay of this product is recommended before installing onto the full mortar bed to ensure the best colour blend is achieved.
- Please make a note of the shade code of the product you have received. This will be advantageous if you need to place orders at a later date to complete a job as it will allow us to send the best match possible.
- Customers should not mix different sizes of the same colour, as there could be colour/shade variation due to the different batches.
- Porcelain paving, must be primed with a Marshalls Paving Primer before installing onto a full mortar bed. All building materials should be protected from bad weather, both during storage and after initial installation.
- Packs of SYMPHONY are supplied with just the right amount of your chosen jointing product. Choose between Exterior Jointing Grout or Exterior Tile Grout.
- For perfect results these products require appropriate cutting tools and correct installation techniques. Consult a Marshalls Register installer or contact Group Technical Services for further information.
- Arrento individual sizes are not suitable to be installed together, even if the batch code is the same.

Argent

- For a contemporary look choose Argent Smooth, for greater slip skid properties try Argent Textured.

Heritage

- Paving should be bedded on a full bed of mortar with rigid joints.

Firedstone

- Paving should be bedded on a full bed of mortar, with rigid joints.

Textured & Utility Paving

- Although performance is good, sizes and colours will be limited, and finish may be varied.
- Sizes listed assume 10mm joint width. Utility paving is ideal for service areas where high finish aesthetics is less important.

Driveway Notes

General Driveway Notes

- All Marshalls driveway products in this brochure are designed for domestic vehicles only, they are not designed for commercial vehicles.
- Driveways must be installed with edge restraints for stability.
- Driveways must be installed in accordance with current legislation to manage and control water run-off.

Natural Stone Driveway

- Marshalls endeavour to ensure that all natural stone products are covered by the Fairstone guarantee of quality. If the Fairstone Logo is visible on a product page be assured that this product is processed and supplied only by proven ethical sources.
- All Marshalls sandstone paving is covered by the Marshalls Stone Standard quality mark of assurance. Where the Marshalls Stone Standard logo is visible on a sandstone page, be assured that this product not only meets but exceeds the base technical levels outlined in the British Standard.
- Due to the nature of this product, you may see some colour variation in natural stone products.

Concrete Driveway

- Mix blocks from a minimum of 3 of packs to ensure the correct colour blend.
- Take blocks from vertical columns rather than horizontal layers unless otherwise stated.
- Marshalls concrete block paving is manufactured in different factories. Colour may vary slightly across these works of manufacture.
- Marshalls can supply kiln dried sand, contact your local service centre for more information.
- Jointing sand should be introduced before the initial vibration and a rubber-faced matting on the vibrating plate should be used, except for SYMPHONY Plus Drive, where units should not be vibrated.

Natural Stone Driveways

- Where a full mortar bed install is recommended, it is best practice to coat the back of each block with Marshalls Paving Primer before laying. This will assist bonding and stop draw through from the bed.

Driveway Setts

- Please note due to the nature of this product significant variation between stones can occur.
- For paths and edging smaller quantities can be ordered via the split pack service.
- Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services for more information.

Natural Stone Setts

- Please note due to the nature of this product significant variation between stones can occur.
- Split and tumbled setts are calibrated.
- For paths and edging smaller quantities can be ordered via the split pack service.
- Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services on for more information.

Scoutmoor setts

- Spoiling may occur on a number of units, this is a natural phenomenon.
- Please note due to the nature of this product significant variation between stones can occur.
- Requires a rigid installation. Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.
- The use of the correct installation method is critical for this product, please contact Group Technical Services on for more information.

Farnley Setts

- Please note due to the nature of this product significant variation between stones can occur.
- Designed to be butt jointed when installed.
- Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.

- The use of the correct installation method is critical for this product, please contact Group Technical Services for more information.

Granite Eclipse Setts

- As Granite Eclipse is a natural material, varying degrees of quartz veining may be apparent in some pieces.
- Please note due to the nature of this product significant variation between stones can occur.
- The use of the correct installation method is critical for this product.
- Please note this requires a rigid installation and Marshalls WeatherPoint 365 is not suitable for use with this product. Marshalls Exterior Jointing Grout should be used instead.
- Slurry back natural stone with Marshalls Paving Primer to increase adhesion and prevent staining.

SYMPHONY Plus Drive & Tempo

- This product comes with specific installation guidelines. Full installation guideline can be downloaded from our website or contact Group Technical Services.
- When using SYMPHONY Plus, due to the weight of the units, mechanically aided lifting is essential.

Drivesys Range

- It is essential that the Drivesys installation guidelines are followed.
- The Drivesys system is not always suitable for poor ground conditions, such as heavy clay areas. Therefore a soil test to check ground and permeability conditions should be completed prior to installation.
- We would recommend that you contact us prior to installation for further advice if ground conditions are not ideal.
- Drivesys must be installed with a solid edge restraint around the perimeter to retain the driveway.
- Drivesys units must come into full contact with the adjoining block when laid.
- Marshalls does not recommend installing Drivesys on a radius.
- For driveways with an incline of 15° or more or that has specific installation design requirements, please contact our Group Technical Services Team.

- Drivesys blocks come with a protective transportation seal which will remain slightly slippery underfoot until weathered. Once the seal has weathered blocks may appear lighter in colour.
- The correct amount of jointing compound is supplied with every pack of Drivesys. Some maintenance of this product will be required every year. See our Cleaning & Maintenance Guide for more details.
- After installation, scratches may be visible in the transportation seal. This will weather as the seal dissipates but care should be taken to reduce this during installation.
- Marshalls recommends the patented Drivesys Driveway system is installed by Marshalls Register Installers.

Driveline Metro

- Lay a standard driveway sub-base as a flexible installation.
- Driveline Metro can be a single colour driveway, or you can purchase a number of different colour packs to create a unique effect.
- 80mm block will ensure structural stability but absolutely no commercial vehicle should traffic this product.
- A full layer of kiln dried sand should be deposited before any compaction takes place, making sure all blocks are completely covered.
- When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing, or staining will occur.

Lunar, Drivesett Argent

- Lay a standard driveway sub-base as a flexible installation.
- When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing to avoid potential staining.

Drivesett Coppice

- Lay a standard driveway sub-base as a flexible installation.
- Take product from across a layer of the pack to achieve the correct colour blend.
- When laid randomly, colours will give the illusion of multiple block sizes.
- Potential to lay in different patterns, see Marshalls website for details.

Driveline Nova

- Lay a standard driveway sub-base as a flexible installation.
- The colours blend throughout the packs and installers must ensure appropriate mix is installed across the area.
- The two textures can be laid together or individually.

Drivesett Natrale

- Lay a standard driveway sub-base as a flexible installation.
- Supplied in single size packs for choice..

Drivesett Tegula

- Tegula is a trademark of SF Kooperation GmbH.
- Lay a standard driveway sub-base as a flexible installation.
- Perfect for driveways, paths and patios.
- This product is manufactured across the country. Colour may vary slightly across the manufacturing sites.
- Due to the manufacturing process, it is not recommended to mix project packs with single size packs.

Savanna

- Lay a standard driveway sub-base as a flexible installation.
- Supplied in single size packs for choice.

Standard Block Paving

- Lay a standard driveway sub-base as a flexible installation.
- This product is manufactured across the country. Colour may vary slightly across the manufacturing sites.

Driveline Drain

- Excavate a suitable concrete strip footing, normally 100mm lean mix, to support the Driveline Drain units, outfall and Rodding Boxes.
- Driveline Drain outfalls and Rodding Boxes should be installed first along with relevant pipework to existing underground pipework, soakaway or SuDs compliant system.
- For full installation guidelines and cleaning Driveline Drain please speak to Group Technical Services.

Drivesett Argent Priora, Drivesett Tegula Priora

- Priora is a trademark of UNI-International Bausysteme GmbH.
- Tegula is a trademark of SF Kooperation GmbH.
- Each 60mm block features the Marshalls unique, patented Priora nib.
- No drainage or soakaways required if installed correctly.
- Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN 13242 and BS EN 12620 to ensure compliance.
- Argent Only: – Supplied in mixed size packs, blocks are designed to be laid in a coursed laying pattern.
- Argent Only: – When cutting, it is important to make sure that once cut with water the block has been perfectly cleaned before installing.

Driveline Priora

- Priora is a trademark of UNI-International Bausysteme GmbH.
- Each 60mm block features the Marshalls unique, patented Priora nib.
- No drainage, tarmac or soakaways required if installed correctly.
- Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN 13242 and BS EN 12620 to ensure compliance.
- Numerous laying patterns available; contact Group Technical Services or see website.

Permeable Paving Legislation

The increased risk of flooding has led to changes in government legislation, meaning that the environmental consequences of creating hard landscaped areas for vehicle parking must now be taken into consideration when planning your driveway project. Visit www.communities.gov.uk for further information.

New and replacement driveways of any size are exempt from planning permission requirements when they use Sustainable Drainage Systems (SuDS).

Marshalls offers a full range of driveway products requiring no planning permission and having a positive impact on the environment.

The Priora Sustainable Drainage Systems (SuDS) has been specifically designed to manage heavy rainfall events. Each 60mm block features the Marshalls patented Priora nib design, which allows surface water to pass between the blocks into a specially calculated sub-base without compromising the structural performance of the driveway.

Conditions required for Priora

Common to all Priora Driveways:

The Priora design drains water away safely in heavy rainfall without burdening the community drainage system.

If installed with the correct sub-base this permeable paving solution can be used in a front garden without obtaining planning permission.

Specific installation guidance must be followed.

The Priora System should not be attempted by the DIY enthusiast or untrained installer. It requires the careful calculation of a soil permeability test and appropriate use of specially graded sub-base aggregates.** Should an installer wish to undertake training for the installation of this product please call the Marshalls Helpline on 0345 820 5000 for further information.

Visit the Marshalls website to find your nearest Marshalls Register Installers trained to install Priora Systems, or call 0345 820 5000.

The grade of Priora featured in this brochure is only intended for normal domestic vehicles and pedestrian traffic, though occasional delivery vehicles over 3.5 tonnes gross weight can be tolerated.*

The Domestic Priora System is only intended for driveways or paths where infiltration is required only in the immediate Priora paved area and not from other surrounding paved or roofed areas (see rainwater catchment area guideline opposite).

In some parts of the country there are ground conditions where infiltration could adversely affect foundations to houses, therefore, if in doubt seek advice from a specialist or the local authority building control department.

Properties constructed pre 1920 may not have been built on traditional concrete foundation, therefore in this case, Marshalls Domestic Priora System should not be installed.

Check for services, Priora must not be installed if gas or electric services run through intended Priora areas.

Priora is a trademark of UNI-International Bausysteme GmbH.

Guidelines for installing Priora

Surface Gradient

The intended Priora area must fall away from the owner's house and any other buildings in the immediate vicinity.

If the driveway exceeds 20m in length and/or has a gradient greater than 1 in 100 then please contact Group Technical Services.*

The top surface of the driveway should finish at least 150mm below any adjoining wall DPC level.

Existing Foundations

If your house lies adjacent to or less than 600mm from the proposed Domestic Priora driveway area, establish depth of house foundation before undertaking any soil test/Priora installation. The house foundation top surface must be 600mm (minimum) below the finished level of the top of the proposed Priora driveway.

Soil Strength and Permeability

Marshalls Domestic Priora System must be laid on a subgrade which has previously had an established and adequate existing driveway and an area which has a subgrade soil strength greater than 5%.

The Domestic Priora System is only suitable for soil areas where infiltration applies and the test criteria have been met as per the standard permeability test.

For the standard permeability a test hole should be dug for every 20m² of driveway. There should be a minimum of two holes. Holes/pits should be spaced evenly in relation to the proposed Priora area.*

Discharge onto Roadway

The Domestic Priora area must not discharge onto surrounding public roadway and pathways and towards any buildings.

Rainwater Catchment Area

No adjoining surface areas (rainwater pipes, roof areas, etc) must drain onto and into the proposed Domestic Priora driveway area, however, small areas such as door steps and garage areas are acceptable providing they do not exceed 5% of the driveway area.

Guideline: Catchment area = driveway area.

Catchment area = drained surface area.

Aggregates

Priora must be laid with 20mm and 6mm clean crushed stone aggregate to BS EN13242 and BS EN12620 to ensure compliance.

Trees

When installing in close proximity to existing trees, tree roots smaller than 25mm diameter may be pruned back, preferably to a side branch, using a suitable pair of secateurs or hand saw. Roots larger than 25mm should only be severed following consultation with an arboriculturist, as they may be essential to the tree's health and stability. Protection of the pavement will also be required, hence the requirement of a permeable root barrier system such as the Geoweb bio barrier system (www.Fiberweb.com) or similar which is non surface protruding, and therefore, does not present a trip hazard once installed.

Health and Safety

It is possible that more excavation for a Priora driveway may be required than that of a driveway constructed of traditional block paving, therefore, care must be taken when excavating ground to a deeper level. Particular care must be taken to protect the sites from children and partially sighted persons and for collapse of adjoining features such as boundary walls/fences.

Check for services, if they run through intended Priora areas, the service provider must be consulted before work commences.

Care must be taken when constructing over sewer, rainwater pipes and water pipes to ensure that the services remain supported for their full length by undisturbed material and are surrounded on the remaining sides by a minimum of 150mm of 6mm material to protect the service.

Walling, Steps & Finishing Notes

Common to all Marshalls Walling Products:

- Marshalls recommends the use of Copings and Caps with all Walling Products. They also protect walls against the staining effect of rain for a period of time.

Common to all face Veneer Walling Products:

- Where a facing/veneer wall is used with a garden/soil/ planting/aggregates behind it, a membrane must be installed at the rear of the wall to stop moisture draw through.
- Walls over 1.5m high need mechanical fixing.
- The correct drainage (such as weepholes) should be considered for any walling retaining soil.

Sawn Versuro

- Faced on all sides.
- An external thin bed adhesive, is recommended.

Traditional Natural Stone

- A 10mm joint width is recommended with this product.
- Due to tolerance of product, some sorting will be required before commencing installation.
- For use in constructing a wall no more than 1.5m in height.
- Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Group Technical Services.

Stoneface Textured

- Due to tolerance of product, some sorting will be required before commencing installation.
- Thickness is calibrated to 15mm +/- 1.5mm.

Stoneface Sawn Veneer

- 1.5m height before mechanical fixing is needed.

Stoneface Drystack Veneer

- Panels are in a Z cut format to hide joints, for a seamless finish. Please note there is a slight tolerance in this and some units will require some minor modification to reduce gaps.
- The mirrored inserts used in Nero Quartzite Mirror are made from brushed steel.

Argent

- Please note this walling is only faced on one side.
- Corner Quoin Ends can be ordered via Marshalls Split Pack Service.
- An external thin bed adhesive is recommended.

Croft Stone

- This walling is ideal for retaining walls up to 6 courses, but should never be used as a freestanding or dividing wall.
- Minimum radius that can be created is 750mm on the bottom course.
- Please Note: This product cannot form a right angle.

Marshalite

- A 10mm joint width is recommended with this product.
- Product is faced on 1 side, Quoin ends are not available.

Tegula

- A 10mm joint width is recommended with this product.

Phoenix Facing Brick

- A 10mm joint width is recommended with this product.

Copings & Caps

- No drip grooves included on our range of copings.

Kerbs & Edging

- The perfect edge restraints to co-ordinate with the Driveway products or contrast with other products within the Driveways range.
- Tegula and Savanna Kerb have a 45o splay.
- Smallest radius for an internal kerb is 0.46m.
- Smallest radius for external kerb is 0.62m.
- When laying Keykerb, KL protrudes 100-125mm and KS by 25-50mm.
- Specific installation guidance must be followed. Consult a Marshalls Register Installer. Or for further guidance contact Group Technical Services.

Pedestals

- For best results, ensure you use the rubber base pads on the sub-base to keep the pedestals in place and rubber head pads on the head of the pedestal to reduce noise and minimise movement of the paving units.
- If laying porcelain paving onto a roof terrace or where wind loading may be a concern, apply a small dab of Sika EBT onto both sides of the rubber head pads before installing the paving unit to minimise movement.
- Roughly lay out sufficient pedestals for 4 or 5 paving units at a time.
- For corner units, or when a cut would otherwise reduce the paving unit to half of its original size, reduce the pedestal size by cutting along the bottom of the base unit.
- Lay the paving units, ensuring the pedestals are placed in the correct formation to fully support the unit.
- When using plan sizes exceeding 450x450x50, advice should be taken on the suitability and use of the chosen product. For further information, please contact Group Technical Services.

Hard Landscape Guarantee

Hard Landscape Guarantee Conditions

Marshalls products are manufactured to the highest standards. The Hard Landscape Guarantee is only available for domestic projects installed by a Marshalls Register Installer where a guarantee has been purchased; the cost of the guarantee is £50 + VAT up to the first £5,000 of installed value and £50 + vat for each £5,000 thereafter. The Hard Landscape Guarantee can only be issued by Marshalls upon receipt of a correctly completed Guarantee Request Form and the relevant fee.

The Guarantee Request Form is available from your Marshalls Register installer and the relevant sections must be completed by both homeowner and installer. The Hard Landscape Guarantee covers Marshalls branded products. Marshalls hereby warrants, that in the event of the failure of Marshalls products used in the construction of a domestic driveway or patio installed at the address named on the Guarantee, replacement products will be supplied free of charge for a period of 10 years commencing from the installation date. Additionally, the labour costs incurred during the replacement of these faulty materials, and/or labour costs arising from faulty workmanship, will be free of charge for a period of 5 years commencing from the installation date. This guarantee is subject to the terms and conditions detailed on the Marshalls website. This guarantee is offered as an additional benefit by Marshalls and in no way affects any parties' statutory rights.

The house owner is responsible for applications for any relevant planning permission. Marshalls do not accept liability for application of planning permission on any project covered by the Marshalls Hard Landscape Guarantee or otherwise.

In the unlikely event of products reaching you in less than satisfactory condition, you should notify the stockist immediately with details of the product and batch codes printed on the packaging. In addition to this, responsibility for costs incurred for uplifting and relaying defective products may be prejudiced if, upon reasonable inspection, the defect ought to have been apparent prior to laying.

Pendle, Textured Utility, Utility and Richmond pavings are intended to serve the 'budget' end of the market and as such should not be confused with premium products such as Heritage or Saxon. In addition to this, because of their limited protection in transit, there is a significant probability of pavings bearing scratch marks to the face. Due to local manufacturing, precise colours and face finishes may vary and it is recommended that pavings from different factories are not mixed on site. Pendle, Textured Utility, Utility and Richmond therefore fall outside the scope of The Hard Landscape Guarantee.

For the avoidance of doubt the performance of Marshalls jointing compounds are excluded from the Hard Landscape Guarantee.

Split Pack Service

When designing your garden or driveway there may be times when you do not need a full pack of product, for example when:

- Finishing an area of paving.
- Creating a decorative border.
- Adding to an existing project.

Marshalls split pack service means that Marshalls stockists and installers can order less than full-pack quantities for most of the products in this brochure.

- Check that the product you need has split packs marked down on the information page in the brochure.
- Carefully calculate the number of each item required, making an allowance for cutting and wastage, however, some may be mixed size packs and although you can order less than pack quantity, this will still be of mixed sizes but just less square metres than in a normal pack.
- Give this to your local stockist who will place your order direct with Marshalls for delivery by express carrier.

A premium is charged for this service, so it may be more economical to adjust the amount to the nearest full pack – especially if you are considering extending the project at a later date. Please note: If ordering a product to extend an existing project, it is likely that batch numbers will be different and the colour may vary.

For charge information please contact the Marshalls sales team or your local merchant.

Acknowledgements

Marshalls Register Members

A Dunlop Landscapes, Prestwick

01292 471076
alanfdunlop63@gmail.com

All Seasons Landscapes, Stockton-On-Tees

01740 605019
allseasonslandscapes@aol.co.uk
www.allseasonsbespokelandscapes.co.uk

Arun Driveways, Littlehampton

01903 650255
arundriveways@arundriveways.co.uk
www.arundriveways.co.uk

Brockstone Landscape Construction Ltd, Liverpool

07970 292325
info@brockstone.co.uk
www.brockstone.co.uk

Discover Paving & Landscaping, Cheshire

www.discoverpaving.co.uk

D Stapleton Brickwork, Rochdale

07791 009947
dstapletonbrickwork@hotmail.com

Esse Landscapes, Crawley

01342 714095
sales@esseland.co.uk
www.esseland.co.uk

Garden TLC Ltd, Oldham

01706 880177
gardentlc3@gmail.com
www.gardentlc.net

Habitat Landscapes Ltd, Bedford

01525 860263
info@habitatlandscapes.co.uk
www.habitatlandscape.co.uk

Harpenden Block Paving Co, Harpenden

01582 765268
info@harpendenblockpaving.co.uk
www.harpendenblockpaving.co.uk

J & D Castle, Chichester

01243 572181
jdcastledriveways@yahoo.co.uk

J A Dodds Landscapes, Choppington

07872 922242
jadoddslandscapes@yahoo.com
www.jadoddslandscapes.com

James Bird Landscapes Ltd, Sheffield

0114 2589290
enquiries@jabird.co.uk
www.jabird.co.uk

Jason Clarke Classic Paving, Stockport

0161 871 8573
www.jc-classicpaving.co.uk

Landscapes of Malvern, Malvern

01684 578733
landscapesmalvern@yahoo.co.uk
www.landscapesofmalvern.com

Newleaf Landscapes, Alfterton

01773 603790
www.newleaf-landscape.co.uk

P & K Landscape & Building Solutions, Haddington

07852 295520
pandk.landscape@sky.com
www.pandklandscape.co.uk

Perfect Paving Ltd, Keston

01689 873333
info@perfectpaving.com
www.perfectpaving.com

R & A Garden Landscapes Ltd, Birmingham

Tel: 0121 537 7273
info@ra-gardenlandscapes.co.uk
www.ra-gardenlandscapes.co.uk

Sandstone Landscapes Construction, York

01904 422735
www.sandstonelandscapes.co.uk

Signature Landscapes Design & Build, Altrincham

0161 670 1747
info@signaturelandscapesdesignandbuild.com
signaturelandscapesdesignandbuild.com

How to contact Marshalls

Whether you would like product or technical advice, an update on your order, to find out more about our registered installers or to make a complaint, we can help.

Call: **0345 820 5000**

Website:

Marshalls.co.uk/gardens-and-driveways

For ideas and inspiration, product information and to order samples and products online, please visit our website.

To find your nearest Marshalls stockist or find a recommended installer, call **0345 820 5000** (*calls may be monitored or recorded*).

For information, advice and useful tips to realise your own ideas, visit **[Marshalls.co.uk/gardens-and-driveways](https://marshalls.co.uk/gardens-and-driveways)**

