

The logo for PAVESTONE, featuring a blue square icon with a white geometric pattern to the left of the brand name in a bold, white, sans-serif font.

DESIGN FOR LIVING

 **PAVESTONE**

NATURAL  
BEAUTY.  
HANDMADE  
ELEGANCE.

# Welcome

Welcome to the new 2023 Pavestone hard landscaping products brochure, which has been designed to both inspire you in finding the perfect materials for your project and also to offer you the practical information needed to make an informed choice.

The Pavestone brand has always been synonymous with both quality and value for money. Our 2023 collection of home flooring and garden landscaping materials have been specifically selected to ensure that you will be able to find exactly the right colours, textures and materials to realise your dream project.

To assist in the design stage, once a paving has been selected we have included some technical detail (Pages 124 - 137). Here you can find a quick reference covering all our products for colour, dimensions, coverage etc. More technical data and laying patterns are available to download from our website [www.pavestone.co.uk](http://www.pavestone.co.uk)



Your project represents a considerable investment and should endure many years of seasonal change, it is therefore very important to consider the quality of stone to be used. There are many cheap blends of natural stone materials available that may not stand the test of time. Pavestone landscaping products are never engineered to meet the lowest possible price.

Instead our commitment is to always produce quality products with consistent aesthetics, dimensional quality and a lasting durability for a fair price. Pavestone natural stone materials are procured only from audited source partners that have been working with us for over a decade to establish ethical supply chains. Pavestone concrete products are manufactured using electricity supplied only from sustainable and renewable resources.



DISCOVERY, ORIGIN GRANDE



Pavestone has adopted the ETI Base Code as a platform for the procurement and distribution of our natural stone products. See page 140 for more information.



BREEAM addresses wide-ranging environmental and sustainability issues, enabling us to prove the environmental credentials of our building products.



ISO 14001:2015 Environmental Management Systems.



ISO 9001:2015 Quality Management Systems.



British Standards Institute registered



Pavestone Landscaping Products are UK Conformity Assessed (UKCA mark) See website for UKCA Technical Files & Declarations of Conformity (DoC)

Front cover picture:  
Dolomite, Grey & Dust



**FLY THRU**  
  
**THIS GARDEN**

# CONTENTS

## INSPIRATION

Porcelain Paving	10
Natural Stone Paving	58
Edging & Coping	91
Block Paving	92
Walling & Cladding	104

## THE DETAIL

Protectors and Cleaners	122
Jointing & Fixing Products	124
Porcelain Paving	127
Natural Stone Paving	129
Block Paving	133
Edging	134
Walling	134
Guide to Professional Paving	136
How to Videos	138
General Information	141

DOLOMITE GREY & MOON  
WITH KADAPHA SETTS



FLY THRU  
THIS GARDEN

*Fall in* **LOVE**  
*with* **YOUR GARDEN.**

As you browse through the Pavestone brochure, you'll be inspired to find the perfect materials for your next project. The garden landscaping and home flooring collection has been specifically selected to help you find exactly the right colours and textures to realise your dream.

David Domoney, C Hort. FCI Hort.  
presenter, ITV's Love Your Garden

DOLOMITE, MARS RUST

Featured in ITV's Love Your Garden



DISCOVERY, ORIGIN GRANDE

Check out my videos to help bring these gardens to life. All you need is a smartphone or tablet. Simply use the built-in camera to scan any of the QR codes you'll find throughout our brochure and it will take you straight to the video on the website!



Featured in ITV's Love Your Garden



SLATE STACK CLADDING RUSTY WITH SAWN ASH PAVING

So, look out for the 'Fly Thru' QR code and we can help you fall in love with your dream garden. More 'Fly Thru' videos will be added to our website throughout 2023 so keep checking [www.pavestone.co.uk](http://www.pavestone.co.uk) for the latest updates.

Take a closer look at my favourite gardens. Scan the code to the right or visit [www.pavestone.co.uk/fly-thru-gardens](http://www.pavestone.co.uk/fly-thru-gardens).



DECKWOOD, CINDER



Featured in ITV's Love Your Garden

**SIMPLY USE YOUR PHONE OR TABLET CAMERA TO SCAN THE QR CODES**


# CHOOSING YOUR PAVING.



When it comes to choosing paving, it is important to understand the correlation between the cost of your chosen paving and the final cost of your landscaping project.

Typically, the cost of the paving will be approximately 20% or less of the total project cost, the remaining 80% will be the cost of installation - labour, cement and sub base materials.

So, buying a more expensive, better quality paving, will not significantly increase costs. In fact, spending 50% more on your paving may only result in an increase of just 10% to the total project cost.



DISCOVERY, SUN GRANDE

# GET IT RIGHT

with  **PAVESTONE**

FLY THRU  
  
THIS GARDEN



You'll be investing time and money when choosing quality paving. Check it's the right colour and style for your patio or driveway. Our brochure will show you plenty of stunning gardens but once you have found a product you like, it's always best to either check out a display at your local stockist or request a sample.

When you are happy with your final choice, to ensure you will have a garden you can show off to family and friends make sure you get it installed correctly.

Follow our easy to follow laying instructions see page 136 or watch our new step-by-step 'How To' videos on our website, [www.pavestone.co.uk](http://www.pavestone.co.uk). For a quick link through to each video, see page 138.



To request a sample,  
call us on **01386 848650**

# CHOOSING THE RIGHT INSTALLER.



Many people like to spend their spare time outdoors. And where better than right outside your back door, in your garden.

We dream of having the perfect garden and spend lots of time and effort searching for the look and style to create the ideal outdoor living space. Hours can be spent finding inspiration leafing through magazines, or watching TV shows. And that's before you've even started choosing the types of building materials!

It's not just the huge amount of time that's invested to create your dream project but can also be a significant financial commitment too.



So, can you imagine the disappointment, when you have spent all that time and money, to see a poorly installed patio or driveway?

Remember the only part you see at the end of the job is the paving, so not only should you choose the best product you can afford but also choose your installer wisely.


Don't just go for the cheapest quote. Ask to see references and photos from previous jobs. Even better, go and visit some of their installations. Looking at projects from 2 or 3 years ago will also show you how they have stood the test of time.

Always do your research. Speak to family and friends for good recommendations and also check local social media as well.

Good landscapers will give their time, listen to your needs and will help design your patio to give you a long term garden you can be proud of. A good landscaper, with good laying practices, may come at a price but it's well worth the investment.



**If you need help finding a landscaper, visit our website and type in your postcode to find one of our preferred installers near you.**



*“Your dream patio could turn out to be a nightmare if you don't take care when choosing your landscaper”*



Watch David's video to see why it's so important to make the right choice!

David Domoney, C Hort. FCI Hort. presenter, ITV's Love Your Garden

## Top tips for choosing a landscaper

- Do your research
- Be cautious with cold callers
- Get more than one quote
- Ask for references

# CHOOSING THE BEST INSTALLER.

 **PAVESTONE**

PREFERRED INSTALLER

At Pavestone, we believe that quality landscaping materials deserve to be installed by top quality installers, which is why we've created a database of our 'Preferred Installers'.

Unlike many other landscaper schemes, our Preferred Installers are all vetted and hand picked by our very own industry experienced staff.



Pavestone Preferred Installer, A&R Landscapes, was the 2022 Winner of a National Builders Merchant 'Landscaper of the Year' competition with this project using Dolomite Sunset & Slate



DOLOMITE, SUNSET & SLATE



Installers are chosen on several criteria, their innovative use of materials, their creative design, but above all their high level of workmanship. Each and every installer shares our vision and is dedicated to creating beautiful patios and driveways for their customers. We are proud of what we collectively achieve for homeowners, and love to show off our products, as well as our installers handy work.

Many of our Preferred Installers projects are showcased throughout this brochure. None are computer generated, they are all real patios, in real gardens. All proudly displayed to help inspire other homeowners create their very own outdoor living space.

We don't charge installers to be on our list. All we ask, is they continue their great work and keep sending us stunning gardens to photograph.

Of course, that's not the only benefit of being a Pavestone Preferred Installer. We also provide many other advantages of joining our 'family', such as marketing support, personalised brochure, social media exposure, free samples, accompanied site visits with home owners and much, much more.

**If you would like more information about being one of our Preferred Installers, give us a call on 01386 848650 or email [enquiries@pavestone.co.uk](mailto:enquiries@pavestone.co.uk)**



Porcelain Paving is the latest in advanced paving solutions that combines stylish design with robust, durable, vitrified technology.

The Pavestone Porcelain range has been selected to meet all tastes and budgets. The diversity of the Porcelain range encompasses wood effect planks, beautiful natural stone simulates and a varied selection of surface textures and colours. So realistic, it's hard to believe they are man made.

Porcelain Paving is algae resistant, frost resistant and is the easiest paving to keep clean.





# PORCELAIN PAVING

Deckwood	12
Discovery	16
Tegel	18
Dolomite	20
Natural	36
Monviso	40
Antico	42
Apulia	44
Amalfi	46
Alfa	48
Calibra	50
Classic	52
Setts & Edging	54
Bespoke Cutting & Profiling	56

DECKWOOD, ASH



FLY THRU



THIS GARDEN



Strength and durability of porcelain meets the natural beauty and warmth of timber. The realistic wood grain blends together piece by piece to create unique compositions and colour contrasts.

# DECKWOOD

The look of timber, the durability of stone.




BUFF



CINDER



COCO



ASH

**ESSENTIAL  
ADVICE**  
always use a slurry primer  
See page 125 for paving accessories



**Suitability:** Outdoors

**Material:** Porcelain

**Size:** 1200x295mm

**Delivery:** Single Size

See page 126  
for more details

CINDER

ASH



BUFF

**RECOMMENDED  
ADVICE**

use Pavestone flexible exterior  
grout on Porcelain paving  
See page 125 for paving accessories



**FLY THRU  
THIS GARDEN**





**FLY THRU**  
  
**OUR GARDENS**



ORIGIN GRANDE  
WITH ROCK STACK CLADDING

# DISCOVERY

A 'Grande' paving for dramatic impact.

Discovery is a large format tile which is available in four colour tones with a light textured finish. The 'Grande' 1200x600mm size of Discovery makes for a more dramatic impact in large gardens.

**ESSENTIAL  
ADVICE**

always use a slurry primer


See page 125 for paving accessories




ORIGIN GRANDE



SUN GRANDE



HANGAR GREY



SQUARE CLOUD

**Suitability:** Outdoors

**Material:** Porcelain

**Size:** 1200x600mm

**Delivery:** Single Size

See page 127  
for more details



SQUARE CLOUD





**FLY THRU**  
**THIS GARDEN**



HANGAR GREY



SUN GRANDE

**RECOMMENDED  
ADVICE**

use Pavestone flexible exterior  
grout on Porcelain paving  
See page 125 for paving accessories



**FLY THRU  
THIS GARDEN**





**FLY THRU**  
**THIS GARDEN**

MOON  
WITH MONVISO DUOMO MINT



BLACK

# TEGEL

Continental chic.

Chic and contemporary, these large format tiles really make a statement. Available in 900x900mm and three colours Tegel porcelain will create a modern continental look to any garden.

FLY THRU  
THIS GARDEN



BLACK



MOON



BIANCO

**TOPTIP**  
Use Pavestone Porcelain Tile Protector before grouting



**Suitability:** Outdoors  
**Material:** Porcelain  
**Size:** 900x900mm  
**Delivery:** Single Size  
See page 127  
for more details

BIANCO

# DOLOMITE

Vibrant colours to enhance your patio.

With ten vibrant stone colours and textures to choose from, the Dolomite porcelain large element paving range is inspired by some of the world's best examples of natural stone. A wide variety of face textures ensures a totally natural appearance.



SLATE



DARK



DUST



SUNSET



GREY



TRAVERTINE



MARS RUST



MOON



FRENCH LIMESTONE



WHITE

**Suitability:** Outdoors

**Material:** Porcelain

**Size:** 1000x500mm

**Delivery:** Single Size

See page 127  
for more details

MOON & GREY  
WITH KADAPHA SETTS

**TOPTIP**

Use Pavestone Porcelain Tile  
Protector before grouting



DARK

**ESSENTIAL  
ADVICE**  
always use a slurry primer  
See page 125 for paving accessories



**BESPOKE  
CUTTING &  
PROFILING**  
SEE PAGE 56



**FLY THRU  
THIS GARDEN**

FRENCH LIMESTONE

FLY THRU  
  
THIS GARDEN





**FLY THRU**  
  
**THIS GARDEN**



**HOWTO**  
CUT  
PORCELAIN



SLATE  
WITH PORCELAIN GREY SETTS

FLY THRU  
THIS GARDEN



BESPOKE  
**CUTTING &  
PROFILING**  
SEE PAGE 56



GREY



**FLY THRU**  
**THIS GARDEN**



**RECOMMENDED  
ADVICE**

use Pavestone flexible exterior  
grout on Porcelain paving  
See page 125 for paving accessories



MARS RUST

**FLY THRU**  
  
**THIS GARDEN**





**FLY THRU  
THIS GARDEN**



# ESSENTIAL ADVICE

always use a slurry primer  
See page 125 for paving accessories



**FLY THRU**  
**THIS GARDEN**



BESPOKE  
**CUTTING &  
PROFILING**  
SEE PAGE 56

DUST

SEE PAGE 127 FOR FULL TECHNICAL SPEC



**FLY THRU**  
**THIS GARDEN**

**RECOMMENDED  
ADVICE**  
use Pavestone flexible exterior  
grout on Porcelain paving  
See page 125 for paving accessories



**BESPOKE  
CUTTING &  
PROFILING**  
SEE PAGE 56

GREY  
WITH SLATE STACK CLADDING

**FLY THRU**  
  
**THIS GARDEN**





**FLY THRU**  
  
**THIS GARDEN**



MOON  
WITH SLATE STACK CLADDING




DUST  
WITH SLIMSETT BLOCK PAVING

SEE PAGE 127 FOR FULL TECHNICAL SPEC

# NATURAL

Naturally impressive.

Simulating some of the most popular natural stone, our 'Natural Porcelain' range has an exceptional and convincing look of modern granite, natural sandstone and majestic Yorkshire stone.



CARBON GRANITE



SILVER GRANITE



GREYSTONE



YORKSTONE

**Suitability:** Outdoors

**Material:** Porcelain

**Size:** 900x600mm

**Delivery:** Single Size

*See page 127  
for more details*

**TOPTIP**

Use Pavestone Porcelain Tile Protector before grouting



YORKSTONE

CARBON GRANITE



**FLY THRU**  
  
**THIS GARDEN**

## ESSENTIAL ADVICE

always use a slurry primer

See page 125 for paving accessories





FLY THRU



THIS GARDEN



SILVER GRANITE  
WITH DECKWOOD, BUFF



SEE PAGE 127 FOR FULL TECHNICAL SPEC

# ESSENTIAL ADVICE

always use a slurry primer  
See page 125 for paving accessories



**FLY THRU**  
**THIS GARDEN**

BESPOKE  
**CUTTING &  
PROFILING**  
SEE PAGE 56

# MONVISO

Clean lines with a delicate, textured surface.

Similar to honed & polished sandstone yet with all the durability of porcelain. Monviso pavers have crisp straight edges, which when close jointed are perfect for contemporary settings.



SMOOTH GREY



DUOMO MINT


**Suitability:** Outdoors  
**Material:** Porcelain  
**Size:** 900x600mm  
**Delivery:** Single Size  
*See page 128  
for more details*

SMOOTH GREY

# ANTICO

A traditional paving with a modern twist.

Unlike our other porcelain ranges, Antico has fettled edges, replicating hand-cut natural stone paving. Available in two shades, this stylish single size paving is a good choice for both traditional and contemporary gardens.



GRANITE



QUARTZITE

**Suitability:** Outdoors

**Material:** Porcelain

**Size:** 800x400mm

**Delivery:** Single Size

See page 128  
for more details

## RECOMMENDED ADVICE

use Pavestone flexible exterior  
grout on Porcelain paving  
See page 125 for paving accessories



GRANITE

QUARTZITE



FLY THRU  
THIS GARDEN




HOWTO  
CUT  
PORCELAIN



# APULIA

Create a modern, dynamic look & feel.



QUARTZITE



ALSACE



LIME

**TOPTIP**

Use Pavestone Porcelain Tile Protector before grouting



Providing a striking and seamless finish, Apulia is the perfect choice for creating a dynamic modern look to your garden. The three, sublime shades will suit any ultra-modern, contemporary space.

ALSACE

**Suitability:** Outdoors  
**Material:** Porcelain  
**Size:** 900x600mm  
**Delivery:** Single Size  
See page 128  
for more details

# ESSENTIAL ADVICE

always use a slurry primer

See page 125 for paving accessories



LIME

QUARTZITE

# AMALFI

Sophisticated elegance.


Majestic in appearance, this hardwearing, marble effect paving will add style and grandeur to any garden setting.



BEIGE



ANTHRACITE



GRIS


**Suitability:** Outdoors

**Material:** Porcelain

**Size:** 900x600mm

**Delivery:** Single Size

*See page 128  
for more details*



BEIGE



BESPOKE  
CUTTING &  
PROFILING  
SEE PAGE 56

ANTHRACITE



GRIS



**RECOMMENDED  
ADVICE**

use Pavestone flexible exterior  
grout on Porcelain paving  
See page 125 for paving accessories



**ESSENTIAL  
ADVICE**

always use a slurry primer  
See page 125 for paving accessories



**FLY THRU  
THIS GARDEN**

GREY MINERAL

STORM


# ALFA

Subtle and soft mottled texture.


With a subtle, mottled texture, Alfa provides excellent grip underfoot in damp and wet weather. The range is available in three contemporary shades which will make a dramatic impact in any garden setting.



STORM



GREY MINERAL



BONE

**TOPTIP**  
Use Pavestone Porcelain Tile Protector before grouting



**Suitability:** Outdoors  
**Material:** Porcelain  
**Size:** 900x600mm  
**Delivery:** Single Size  
See page 128  
for more details

FLY THRU



THIS GARDEN



BONE


# CALIBRA

Delicately textured with a silky soft surface.

With a smooth, yet non-slip surface, Calibra Porcelain is an extremely hard wearing, practical patio paving with all the beautiful aesthetics of naturally honed stone.



CHALKBOARD



SILVER GREY

**Suitability:** Outdoors  
**Material:** Porcelain  
**Size:** 595x595mm  
**Delivery:** Single Size  
*See page 128 for more details*



LINEN

CHALKBOARD



LINEN

SILVER GREY



**RECOMMENDED  
ADVICE**  
use Pavestone flexible exterior  
grout on Porcelain paving  
See page 125 for paving accessories



# CLASSIC

Simple and affordable patio transformation.

With all the same properties as our other porcelain ranges, the Classic Porcelain will transform any patio or pathway at an affordable price. Available in three optional sizes all three popular colours will add that touch of 'class'.



ANTHRACITE



GREY



IVORY

**TOPTIP**  
Use Pavestone Porcelain Tile Protector before grouting




**Suitability:** Outdoors  
**Material:** Porcelain  
**Sizes:** 1200x600, 900x600 & 600x600mm  
**Delivery:** Single Size  
*See page 128 for more details*

IVORY

# ESSENTIAL ADVICE

always use a slurry primer  
See page 125 for paving accessories



ANTHRACITE

# SETTS & EDGING

Decorative edging for a perfect finish to your patio.

Available in two sizes 100x100 and 200x100mm, these Porcelain Sets provide a beautiful edge to pathways and can also create a contrasting 'picture frame' around your patio. The three shades can be laid alongside almost all of the porcelain paving range.



ANTHRACITE

GREY

DUST

SETTS, ANTHRACITE



SETTS, GREY





SETTS, ANTHRACITE

PLANK EDGING, ANTHRACITE

PLANK EDGING, ANTHRACITE

These stylish and contemporary planks give the perfect finish to your patio or path. With straight edges on all four sides, the three shades of porcelain plank edging will complement most of the porcelain paving range.

They can be laid flat as a linear border edging or even laid alongside each other as a patio feature. Alternatively, if your lawn or planted area is higher than your patio, they can also be installed vertically. And for that extra touch of detail, a bull nose edge will certainly add panache to your paving.

See page 56 for more information about our bespoke cutting and profiling.



ANTHRACITE

GREY

DUST



BESPOKE  
CUTTING &  
PROFILING  
SEE PAGE 56

# BESPOKE CUTTING & PROFILING.



Our bespoke porcelain cutting service includes cutting for step treads, copings, planks and mitred joints, all to your own specification, helping you easily create that special finish to your patio. We also offer a profiling service that includes full or half bullnose, which will add an extra touch of class to your steps and edging.

To make your project stand out from the crowd, but without all the extra hard work, speak to our Sales Team on 01386 848650.

**PLANKS &  
EDGING**



**FLY THRU  
THIS GARDEN**

As featured on ITV's Love Your Garden, Pavestone Porcelain cut to 300mm wide.



## BULL NOSE EDGING




FULL BULLNOSE

HALF BULLNOSE

### STEPS & TREADS

To find out more about our Bespoke Cutting & Profiling Service, call us on **01386 848650**



Quality natural stone selected for its colour, texture and character creates the definitive Pavestone range. Synonymous with quality and sourced only from responsible quarry owners who can prove a high regard for the welfare of their workers and their environment.





FLY THRU  
THIS GARDEN

# NATURAL STONE PAVING

Sawn	60
Tudor Antique	62
Classic Sandstone	68
Limestone	76
Slate	82
Tudor Cobble	84
Stone Setts	86
Natural Stone Block Paving	88
Circle Features	90
Edging & Copings	91

CLASSIC SANDSTONE, BUFF





**FLY THRU**  
THIS GARDEN

# SAWN

Stylish modern natural stone paving with a light riven.

Sawn derives its name from the sawn straight linear edges of each paver and reflects a stylish, opulent, contemporary feel to the landscape.

Sawn paving has been hand-selected to create just the right hue to the light grey contemporary stone colour.



ASH

## RECOMMENDED ADVICE

use a slurry primer

See page 125 for paving accessories



**Suitability:** Outdoors

**Material:** Natural

**Finish:** Sawn Straight Edge,  
Riven Surface

**Delivery:** Single Size Pallet

See page 129  
for more details

### SHADE VARIATION

Due to the nature of the material, particular shades of natural stone will have a slight colour variation. It is advisable to view a large display at your nearest stockist. Alternatively, speak to our customer services on 01386 848650 to request some samples.

ASH

# TUDOR ANTIQUE

Handcrafted, time-worn natural stone.

Recreating the appeal of time-worn flagstones from previous centuries, Tudor Antique was created to blend sympathetically with older properties and gardens where the design seeks to provide an established feel. Tudor Antique paving can also be used to great effect as an indoor flooring material.






FLY THRU  
THIS GARDEN



OXFORD



DENBY



CAMBRIDGE



CATHEDRAL



DEANERY



CLOISTER

**Suitability:** Outdoors & Indoors

**Material:** Natural

**Finish:** Tumbled Edge,  
Time-worn Surface

**Delivery:** Contractor Pack &  
Single Size

See page 129  
for more details

#### SHADE VARIATION

Due to the nature of the material, particular shades of natural stone will have a slight colour variation. It is advisable to view a large display at your nearest stockist. Alternatively, speak to our customer services on 01386 848650 to request some samples.

CLOISTER



**FLY THRU**



**THIS GARDEN**





# POINTING MADE EASY!

Save time with brush-in jointing compound  
See page 124 for paving & walling accessories



DENBY

FLY THRU  
  
THIS GARDEN



SEE PAGE 129 FOR FULL TECHNICAL SPEC



CAMBRIDGE

CATHEDRAL  
WITH BURFORD IRONSTONE WALLING



# CLASSIC SANDSTONE

Traditional Riven finish.

Part of the character of sandstone paving is that no two stones are coloured the same, however, when combined they create a rich tapestry of colour to make a beautiful overall hue.





**FLY THRU**  
  
**THIS GARDEN**

Seasonal changes can often bring a differing perspective to the reflected colours of the stone. In strong summer sunlight a sandstone patio will appear to have less colour variation, whilst after rain the colours will be of a deep patina.



RAJ BLEND



MODAK



GOLDEN FOSSIL



RIPPON



LIGHT GREY



BUFF

**Suitability:** Outdoors

**Material:** Natural

**Finish:** Fettled Edge,  
Riven Surface

**Delivery:** Contractor Pack &  
Single Size

See page 130  
for more details



OLD BLACK

**SHADE VARIATION**

Due to the nature of the material, particular shades of natural stone will have a slight colour variation. It is advisable to view a large display at your nearest stockist. Alternatively, speak to our customer services on 01386 848650 to request some samples.

RAJ BLEND  
WITH DRYFELL WALLING

OLD BLACK



**RECOMMENDED  
ADVICE**

use a slurry primer

See page 125 for paving accessories



BUFF



**FLY THRU**  
  
**THIS GARDEN**





**FLY THRU**



**THIS GARDEN**



**RECOMMENDED  
ADVICE**

use a slurry primer

See page 125 for paving accessories



FLY THRU  
THIS GARDEN



RIPPON



GOLDEN FOSSIL  
WITH KADAPHA SETTS



SEE PAGE 130 FOR FULL TECHNICAL SPEC



**POINTING  
MADE EASY!**  
Save time with brush-in jointing compound  
See page 124 for paving & walling accessories



LIGHT GREY  
WITH KADAPHA SETTS



FLY THRU  
THIS GARDEN







FLY THRU  
THIS GARDEN


# LIMESTONE

Attractive and durable with a softer appearance.

Limestone is an attractive and very durable paving which has a softer appearance than sandstone. Pavestone offer three colours of this sawn edge paving, which will complement classic and contemporary gardens alike.



KOTA BLUE



KADAPHA



ABBEY

**Suitability:** Outdoors

**Material:** Natural

**Finish:** Sawn Straight Edge,  
Light Riven Surface

**Delivery:** Contractor Pack &  
Single Size

See page 130  
for more details

ABBEY



**RESTORE BACK TO BLACK**  
To restore colouration in your Kadapha patio use Black Stone Rejuvenator & Sealer  
See page 123 for paving accessories



KADAPHA



FLY THRU



THIS GARDEN





**FLY THRU**  
**THIS GARDEN**



KADAPHA



KADAPHA

Over time Kadapha will lighten. To restore colouration, we recommend sealing with Pavestone Black Stone Rejuvenator & Sealer to ensure that the paving will retain its deep black colour.



KADAPHA SEALED

ABBEY  
WITH GRANITE SETTS

FLY THRU  
THIS GARDEN








**FLY THRU**  
**THIS GARDEN**

# SLATE

Timeless beauty.

Pavestone sources the finest Brazilian Slate which fully captures the timeless beauty and character of a bygone age. Its smoother riven surface makes it an ideal base for garden furniture. This premium slate provides a contemporary feel which will complement both town and country gardens.

- Suitability:** Outdoors & Indoors
- Material:** Natural
- Finish:** Sawn Straight Edge, Light Riven Surface
- Delivery:** Contractor Pack & Single Size  
*See page 130 for more details*



RIO

RIO  
WITH SAWN ASH PAVING &  
RUSTY SLATE CLADDING



This garden is stunning!  
Watch my video to see  
why I love it so much!



David Domoney, C Hort. FCI Hort.  
presenter, ITV's Love Your Garden

# TUDOR COBBLE


Handcrafted, time-worn natural stone.



FLY THRU  
THIS GARDEN

Tudor Cobbles complement perfectly the Tudor Antique paving range and are particularly suitable for paving courtyards and terraces where a smaller size paving creates a better aspect ratio.

Because these hand crafted cobbles are extremely durable, they are ideal for creating stunning driveways, often designed to run seamlessly into a Tudor Antique paved area.



DENBY



OXFORD

**Suitability:** Outdoors

**Material:** Natural

**Finish:** Fettle Edge,  
Time-worn Surface

**Delivery:** Contractor Pack

See page 131  
for more details

#### SHADE VARIATION

Due to the nature of the material, particular shades of natural stone will have a slight colour variation. It is advisable to view a display at your nearest stockist. Alternatively, speak to our customer services on 01386 848650 to request some samples.

FLY THRU  
THIS GARDEN





**FLY THRU**  
**THIS GARDEN**


RAJ BLEND




FOSSIL



RAJ BLEND




MIDNIGHT SLATE



LIGHT GREY



SILVER GRANITE



BLACK GRANITE

**Suitability:** Outdoors

**Material:** Natural

**Finish:** Fettle Edge, Riven Surface

**Delivery:** Mixed & Single Size Pallet


See page 131  
for more details

BLACK GRANITE

# STONE SETTS

Rustic charm.

Natural Stone Setts are ideal for creating winding and undulating pathways with rustic charm through the garden. Setts can also provide an attractive border to patio paving or driveways, adding contrast to a paved area.



# NATURAL STONE BLOCK PAVING

Rich tapestry of beautiful natural stone.

Whether your home is old or modern, natural stone block paving offers the ultimate choice for your driveway, that will last a lifetime. A beautiful rich tapestry of natural stone with its varying hues and textures ensures your driveway will look unique.



FLY THRU  
THIS GARDEN




OLD YORK




OLD YORK

**Suitability:** Outdoors  
**Material:** Natural  
**Finish:** Time-worn Surface  
**Delivery:** Mixed & Single Size Pallet  
*See page 131  
for more details  
Mixed only available in Kadapha*



KADAPHA



OLD YORK



OLD COTSWOLD

# CIRCLE FEATURES

Handcrafted natural stone focal points.

Circle Features can be used to create focal points within a paved area and are often used to denote a seated area for relaxation or entertaining.



GOLDEN FOSSIL  
WITH BURFORD GOLDEN BUFF WALLING



BUFF



MODAK



RAJ BLEND




LIGHT GREY



GOLDEN FOSSIL



OXFORD\*



\* Available only as 2400mm diameter circle with 2700mm squaring off kit. Oxford only. Ø = diameter

Squaring off kits are also available.

SEE PAGE 132 FOR FULL TECHNICAL SPEC

# EDGING & COPING

The perfect finishing touch to your patio.

Pavestone offer a choice of edgings and copings to complement our paving range.



RUSTIC FOSSIL


BULLNOSE SUMMIT

## Bullnose



SUMMIT

## Rustic



FOSSIL

## Interloc



LIGHT GREY

BLACK

MID GREY

## Stone Coping



RAJ

FOSSIL

## Moodul Coping



BLACK

GREY

## Bullnose Steps



EXTERNAL CORNER



INTERNAL CORNER



TREAD

SEE PAGE 132 & 134 FOR FULL TECHNICAL SPEC



The Pavestone Block Paving range is perfect for driveways but also a great choice for patios, edging or even curved, meandering garden paths.



# CONCRETE GARDEN & DRIVEWAY

Pavesett Block Paving	94
Cobblesett & GrassPark	100
Slimsett Block Paving	102



SLIMSETT, ANTHRACITE



PAVESETT, AUTUMN BROWN

# PAVESETT BLOCK PAVING

Driveway aesthetics to complement all properties.

Timeless in appearance, the classic Pavestone rumbled block paving set will deliver driveway aesthetics to complement all properties from a quaint thatched cottage to a modern town house.

Pavesett is available in five shades and has three size elements which allows your preferred laying pattern using one, two or all three of the sizes.





**CLEANING MADE EASY!**  
 Use Pavestone Driveway Cleaner to keep your driveway looking as good as new  
 See page 122 for all our Sealers & Cleaners

- ✓ Durable & stain resistant
- ✓ Algae & moss resistant
- ✓ Faster drying
- ✓ Low maintenance
- ✓ Longer lasting colour retention



CHARCOAL



AUTUMN BROWN



OCHRE GREY

**Suitability:** Outdoors  
**Material:** Concrete  
**Finish:** Tumbled  
**Size:** 200x150, 150x150 and 100x150mm  
**Delivery:** Single Size  
 See page 133 for more details



BRINDLE



SILVER



**Interloc Edging**

With a premium smooth finish and pencil line edges, Interloc provides an elegant edge to your patio or driveway. This robust edging has 'oversize' dimensions giving it additional 'inground' stability. Combined with its unique interlocking ends, it an ideal choice for finishing off driveways.

Unlike many other concrete edgings, Interloc has sealed 'face' edges making it more algae, moss and stain resistant. Available in three shades, this very durable edging complements much of the block paving range and also works beautifully with porcelain paving too.

See page 134 for technical information.



LIGHT GREY

MID GREY

BLACK

CHARCOAL


OCHRE GREY



**CLEANING  
MADE EASY!**  
Use Pavestone Driveway Cleaner to keep  
your driveway looking as good as new  
See page 122 for all our Sealers & Cleaners



**FLY THRU  
THIS GARDEN**



SILVER



SILVER





**FLY THRU**



**THIS GARDEN**



## **CLEANING MADE EASY!**

Use Pavestone Driveway Cleaner to keep your driveway looking as good as new  
See page 122 for all our Sealers & Cleaners



AUTUMN BROWN

BRINDLE



FLY THRU  
THIS GARDEN




SEE PAGE 133 FOR FULL TECHNICAL SPEC

PAGE 99

# COBBLESETT

Unique colour blends with a rustic appearance.

Timeless paving cobbles, rustic in appearance and offered in two unique colour blends. Cobblesett elevates and enhances paved areas to an unsurpassed level of strength, character and distinction!



## CLEANING MADE EASY!

Use Pavestone Driveway Cleaner to keep your driveway looking as good as new  
See page 122 for all our Sealers & Cleaners



OCEANIA

- Suitability:** Outdoors
  - Material:** Concrete
  - Finish:** Tumbled
  - Size:** 150x150mm
  - Delivery:** Single Size
- See page 133 for more details

OCEANIA

SUNSET ROUGE



SUNSET ROUGE

# GRASSPARK

Extra parking, without the planning.\*

GrassPark is a permeable paving grid which allows grass to grow through whilst providing hard standing suitable for parking cars, vans or caravans. Perfect for discreet, extra parking spaces, yet retaining the look of grassland.

GrassPark facilitates natural drainage of rainwater into the subsoil and, as such, should negate the requirement for planning permission\* when used to pave front gardens for hard standing.

**Suitability:** Outdoors  
**Material:** Concrete  
**Size:** 600x400x100mm  
**Delivery:** Single Size  
*See page 133 for more details*



\*As with every construction project, it is always advisable to check with the relevant local planning authority prior to starting your project.



FLY THRU  
THIS GARDEN

# SLIMSETT BLOCK PAVING

Recreating cobbled street paving.

Slimsett Block Paving recreates the cobbled street paving that can be found in many historic cities and towns around Europe.

The characteristics of this block, facilitate the ability to create many attractive patterns, including sweeping curves, plus it has the versatility to be laid using either the 50mm or the 60mm face up.



BRINDLE



ANTHRACITE



CAMARGUE

**Suitability:** Outdoors

**Material:** Concrete

**Finish:** Tumbled

**Delivery:** Single Size

See page 133  
for more details

ANTHRACITE



BRINDLE

CAMARGUE



### Laying options



BASKET WEAVE



ANTHRACITE



HERRING BONE



STRETCHER BOND

Pavestone Slimsett block paving is manufactured using the latest science in water repellent technology.

The result is a paving block that won't absorb water and offers significant benefits over standard block paving:



- ✓ Durable & stain resistant
- ✓ Algae & moss resistant
- ✓ Faster drying
- ✓ Low maintenance
- ✓ Longer lasting colour retention






FLY THRU



THIS GARDEN





Walling is fundamental in the creation of a perfect three-dimensional garden landscape and should be seen as so much more than a perimeter boundary. A primary use of walling is to effect changing levels to the vista, maybe by raising a patio or planted area.

# DECORATIVE WALLING & CLADDING

Cottage Walling	106
Dry Fell Walling	107
Moodul Modular Walling	108
Style Modular Walling	110
Burford Walling	112
Slate Stack Cladding	114
Porcelain Cladding	116

The Pavestone walling range consists of Natural Stone and Reconstituted (Man-made) Walling Stone products. Natural stone walling blocks tend to be irregular in shape and size which results in a rustic appearance to projects around older properties and in rural areas where natural stone is a feature of the landscape.

Reconstituted stone walling is manufactured using limestone from the Cotswolds. Whilst its irregular face and texture replicates natural stone, it benefits from having consistent dimensions helping to make construction as easy as using a standard brick.

This garden is stunning!  
Watch my video to see why I love it so much!



David Domoney, C Hort. FCI Hort. presenter, ITV's Love Your Garden



SLATE STACK CLADDING RUSTY WITH SAWN ASH PAVING

# NATURAL STONE WALLING

Old World 'Rustic' appearance.

Natural stone walling can be used to create beautiful features within a garden design and for perimeter walling. The Pavestone ranges have been designed and hand crafted by our stonemasons to give a soft 'old world', rustic appearance.



COTSWOLD

## Cottage Walling

Pavestone natural stone walling blocks are rumbled to give soft rounded edges, reproducing old building stone.



COTSWOLD



YORK

**Suitability:** Outdoors

**Material:** Natural

**Finish:** Tumbled, Time-worn Edge

**Delivery:** Single Size

*See page 134  
for more details*


YORK



FLY THRU  
THIS GARDEN



RAJ BLEND



## Dry Fell Walling

Natural stone in uniform widths and lengths makes building a dry stone wall easy.

- Suitability:** Outdoors
  - Material:** Natural
  - Finish:** Tumbled, Hand Dressed Edge
  - Delivery:** Mixed Size
- See page 134 for more details



RAJ BLEND



FOSSIL

# MOODUL WALLING

Contemporary modular building block.

Moodul is a contemporary modular building block, innovatively designed to allow the creation of stunning features in your garden. Moodul adds a new dimension to your landscaping project and building with Moodul is achievable by the DIYer!

## WALLING MADE EASY!



Save time with fast-set walling adhesive

See page 125 for paving & walling accessories




FLY THRU  
THIS GARDEN



**Suitability:** Outdoors  
**Material:** Concrete  
**Finish:** Smooth Face  
**Size:** 600x300mm  
**Delivery:** Single Size  
*See page 134 for more details*

BLACK



BLACK



GREY



# STYLE WALLING

Quick assembly garden rooms.

Style walling is a new, fast build modular walling system which allows you to create truly individual garden features in next to no time.





**Suitability:** Outdoors  
**Material:** Concrete  
**Finish:** Smooth Face  
**Sizes:** 900x450x75mm & 900x150x75mm Cover Stone  
**Delivery:** Single Size  
 See page 135 for more details



LIGHT GREY



MEDIUM GREY

Whether you want to create a simple raised planter, seating area, or a complete outdoor kitchen and dining area, build it fast with Style.

Style's unique modern walling panels quickly assemble, using hidden stainless steel connectors, to build beautiful contemporary gardens and structures.



FIREPITS



SEATING



OUTDOOR KITCHENS



PLANTERS

The possibilities are endless! For more ideas visit [www.pavestone.co.uk](http://www.pavestone.co.uk)

# BURFORD WALLING

An affordable alternative to natural stone.

A realistic alternative to local stone at an affordable price, Burford reconstituted stone walling makes building work easy.

Your finished project will look, feel and age just as natural stone but at a fraction of the cost.




NATURAL LIGHT WEATHERED



BUFF BLACK



NATURAL LIGHT WEATHERED



GOLDEN BUFF



BUFF BLACK



GOLDEN BUFF



GREY



IRONSTONE

**Suitability:** Outdoors  
**Material:** Concrete  
**Finish:** Tumbled or Split Face  
**Delivery:** Single Size  
See page 135  
for more details



NATURAL LIGHT WEATHERED



OOLITE CREAM



YATE GREY

IRONSTONE

# SLATE STACK CLADDING

Create a modern contemporary work of art.

Slate Stack cladding is a new and inexpensive way of transforming existing lacklustre brick walls into modern contemporary works of art. Alternatively if you don't have the walls you need, then new walls can be constructed from economy concrete blocks and faced with the Slate Stack cladding to provide an impressive finish.



RUSTY



BLUE BLACK

**Suitability:** Outdoors & Indoors

**Material:** Natural

**Finish:** Rustic Face

**Sizes:** 240x75 &  
390x75mm

**Delivery:** Single Sizes

See page 135  
for more details

RUSTY  
WITH SAWN ASH PAVING

**WALLING  
MADE EASY!**



Save time with  
fast-set walling  
adhesive

See page 125 for  
paving & walling  
accessories



**FLY THRU**  
**THIS GARDEN**




BLUE BLACK



**FLY THRU**  
**THIS GARDEN**


BLUE BLACK



BLUE BLACK



RUST



CREAM



WHITE



**FLY THRU**  
  
**THIS GARDEN**

# PORCELAIN ROCK STACK CLADDING

Authentic rock walling created with ease.


Create a patio, courtyard or feature wall with an air of cosy rusticity with this authentic rock cladding. Choose from four shades to transform your indoor or outdoor living space.




BLACK



WHITE



CREAM



RUST

**Suitability:** Outdoors & Indoors

**Material:** Porcelain

**Sizes:** 385x75mm

**Delivery:** Singles

See page 135  
for more details

FLY THRU



THIS GARDEN



BLACK

# PORCELAIN BRICK CLADDING

Easy to install interlocking cladding.

On trend blends of black, grey and white make this interlocking cladding ideal to create a spectacular indoor or outdoor feature wall.



SEPIA



**Suitability:** Outdoors & Indoors

**Material:** Porcelain

**Sizes:** 400x160mm

**Delivery:** Singles

*See page 135  
for more details*



**WALLING  
MADE EASY!**

Save time with fast-set walling adhesive  
See page 125 for paving & walling accessories

FLY THRU



THIS GARDEN



# PORCELAIN ROCK WALL CLADDING

Authentic 'natural look' walling.

Inspired by natural walling this rugged and rustic cladding interlocks easily to produce a seamless look of pure stone at its finest.



VULCANI




**Suitability:** Outdoors & Indoors

**Material:** Porcelain

**Sizes:** 400x160mm

**Delivery:** Singles

*See page 135  
for more details*



ARTICO

# PORCELAIN MINERALI CLADDING

Bring your walls to life.

Minerali is a small slip tile suitable for both internal and external walls. Available in white and grey shades, the cladding tiles have numerous texture faces and will bring any featureless wall to life.



ARTICO



ZINCO

**Suitability:** Outdoors & Indoors

**Material:** Porcelain

**Sizes:** 385x75mm

**Delivery:** Singles

See page 135  
for more details



## WALLING MADE EASY!

Save time with fast-set walling adhesive

See page 125 for paving & walling accessories

ALSO FEATURING SEPIA AND SLATE STACK CLADDING





ARTICO  
WITH MOODUL WALLING  
COVER STONE GREY



ZINCO  
WITH MOODUL WALLING  
COVER STONE BLACK



# SEALERS & CLEANERS

Protecting and maintaining your investment.



## CLEAN

### PATIO CLEANER

Heavy duty cleaner for removing stubborn ground in dirt and grime from stone and porcelain paving.



Our scientifically advanced products clean, protect and maintain natural stone and porcelain. Pavestones range of sealing and maintaining products will ensure your patio looks fantastic year after year.

Protecting your patio and walling will keep it looking magnificent and may well save time and money in cleaning products later on.

## RESTORE

### RUST STAIN REMOVER

Organic formula that breaks down and removes orange oxide stains. Suitable for stone and porcelain.



## RESTORE

### IRON STAIN REMOVER

Removes rust breakouts, rust discolouration, cement and mortar stains from ferrous hard stones.



CLASSIC SANDSTONE, BUFF

## CLEAN

### PORCELAIN CLEANER

A gentle after-care cleaner especially formulated for use on porcelain paving. Cleans without damaging the grout or tile.



## CLEAN

### DRIVEWAY CLEANER

Removes black spot, lichen, moss and stains from driveway block paving, concrete and natural stone paving.



## CLEAN

### BLACK SPOT & ALGAE REMOVER

Removes black spot, lichen, moss and stains from all types of external natural stone, concrete and porcelain paving.



## PROTECT

### COLOUR ENHANCING STONE SEALER

Deepens colour and enhances the characteristics of natural stone and concrete paving.



## PROTECT

### NATURAL FINISH STONE SEALER

Protects all types of natural stone and concrete paving with minimal change to original character.



## PROTECT

### PORCELAIN TILE PROTECTOR

Pre-grout treatment for use during porcelain paving installation. Protects against surface grout residue without altering the paving characteristics.



## RESTORE

### CEMENT, GROUT & SALT RESIDUE REMOVER

Acid replacement cleaning solution for removing cement, grout and efflorescence residues. Suitable for porcelain and natural stone paving.



## RESTORE

### BLACK STONE REJUVENATOR & SEALER

Restores the colour and protects dark grey and black natural stone paving.



## RESTORE

### RESIN RESIDUE REMOVER

Removes resin films from the surface of natural stone and porcelain paving commonly caused by jointing compounds.



**PLEASE NOTE.** Do not use any cleaning, restoring or sealing products when surface temperatures are under 5°C or over 25°C. For full instructions, please refer to the bottle label or download a Data Sheet from [www.pavestone.co.uk/information/product-data-sheets](http://www.pavestone.co.uk/information/product-data-sheets).

- No specialist tools
- Fast application
- No waste - only mix what you need
- Simple to use
- Cost effective
- Quick curing
- Can be applied to wet surfaces even when raining
- Prevents weed growth
- Pet friendly



*“Quality paving deserves a professional finish. Pavestone Pointfix is perfect for fast and easy jointing.”*



## All Weather Epoxy Jointing Compound\*

Pavestone Pointfix is a superior two pack multi-use jointing and repair compound. One pack contains epoxy resin within the compound and the other epoxy hardener. Once thoroughly mixed the jointing compound cures to create a permanent hard jointing material.

There are no liquids or powders to measure and mix in, so mixing and applying Pointfix is much cleaner and easier than traditional sand and cement mortar. Pointfix is specifically designed for pointing and infilling between many types of surfaces including concrete paving, natural stone paving, brickwork and stonework.

If it rains, or is forecast to rain, completing a traditional pointing project can become a major problem. Pointfix eliminates this problem as it can be applied even when the paving or bricks are wet and you can even carry on pointing when it rains.



**PLEASE NOTE.** Pointfix is not suitable for Porcelain paving.

## Professional pointing in 6 simple steps




**Step 1**

Open both packs, measure 50/50 ratio of each & mix until uniform in colour.



**Step 2**

With a soft brush/broom, push Pointfix mixture into the gaps.



**Step 3**

Compact firmly into joints using a jointing tool.



**Step 4**

Refill, if necessary, using a small soft hand brush.



**Step 5**

Compact the surface to give it a clean flat finish.



**Step 6**

Brush off any excess & wipe off any remaining residue with a damp sponge.

For additional technical information, please refer to the label on the reverse of the Pointfix tub.

## Available in 5 colours

Pointfix comes in five shades to perfectly complement any paving colour. The 50/50 mixing ratio means you only need to mix what is needed, cutting down on waste.



MUSHROOM

BUFF

BROWN

GREY

BLACK

Please note. Black is not recommended for light coloured paving.

**PLEASE NOTE.** Do not use any cleaning, restoring or sealing products when surface temperatures are under 5°C or over 25°C. For full instructions, please refer to the bottle label or download a Data Sheet from [www.pavestone.co.uk/information/product-data-sheets](http://www.pavestone.co.uk/information/product-data-sheets).

## Essential fixing products

### Wall & Cladding Adhesive -

High performance, quick setting and non slip, tile & walling adhesive. Ideal for porcelain, natural stone & concrete.

**Priming Slurry** - A polymer modified cement based priming slurry designed to facilitate the bonding of non-porous paving materials. Essential when laying Porcelain & Granite paving. Also recommended for the installation of all natural paving. Pavestone Priming Slurry will improve the bonding strengths and lifespan of your project and can be used with any of our paving products.

**Tile Grout** - A specially formulated, flexible, rapid setting paving grout providing a uniform joint colour. The fine texture provides a smooth, stain, mould and water resistant finish which is recommended for both Porcelain and some Natural Stone with sawn edges.



## Available in 6 colours



WHITE

CREAM

SILVER GREY

MID GREY

SLATE GREY

BLACK

**PLEASE NOTE.** Areas to be grouted must be fully dry, especially the joints. Paving should also be thoroughly cleaned after grouting. We recommend the use of Pavestone Porcelain Tile Protector prior to grouting to aid easier cleaning.

# TECHNICAL



FLY THRU  
OUR GARDENS

## DECKWOOD PORCELAIN

see  
page 12




BUFF



CINDER



COCO



ASH

### SINGLE SIZE PACK

1200x295	
No./m <sup>2</sup>	2.82
No./pack	64
m <sup>2</sup> /pack	22.66
Thickness	20

All dimensions are  
precise (rectified)

## ESSENTIAL ADVICE

always use a slurry primer  
on all Porcelain paving  
See page 125 for paving accessories



**PLEASE NOTE.** *Dimensions stated  
on all paving ranges are nominal and  
for guidance only.*

DOLOMITE, TRAVERTINE

## DISCOVERY PORCELAIN

see page 16



ORIGIN GRANDE



SUN GRANDE



HANGAR GREY



SQUARE CLOUD


### SINGLE SIZE PACK

1200x600	
No./m <sup>2</sup>	1.39
No./pack	36
m <sup>2</sup> /pack	25.92
Thickness	20


All dimensions are precise (rectified)

## TEGEL PORCELAIN

see page 20



BLACK



MOON

### SINGLE SIZE PACK

900x900	
No./m <sup>2</sup>	1.23
No./pack	32
m <sup>2</sup> /pack	26.01
Thickness	20

All dimensions are precise (rectified)



BIANCO

## DOLOMITE PORCELAIN

see page 22



SLATE



SUNSET



MARS RUST



TRAVERTINE



FRENCH LIMESTONE

### SINGLE SIZE PACK

1000x500	
No./m <sup>2</sup>	2
No./pack	42
m <sup>2</sup> /pack	21
Thickness	20

All dimensions are non rectified (nominal)



DARK



GREY



MOON



DUST



WHITE

## LAYING ADVICE

**Please note:** Pavestone Priming Slurry must be applied to the reverse of each porcelain tile during the laying process. Please refer to website for full laying instructions.

### IMPORTANT

Pointfix, or any other resin based jointing compounds, are not suitable for Porcelain.

**Bowing:** Please be aware that, due to the manufacturing process, rectangular porcelain can have a slight bow.

For further information please refer to the Porcelain Laying Guide on our website.

## NATURAL PORCELAIN

see page 36



CARBON GRANITE



SILVER GRANITE

### SINGLE SIZE PACK

900x600	
No./m <sup>2</sup>	1.85
No./pack	42
m <sup>2</sup> /pack	22.68
Thickness	20

All dimensions are precise (rectified)



GREYSTONE

### SINGLE SIZE PACK

900x600	
No./m <sup>2</sup>	1.85
No./pack	40
m <sup>2</sup> /pack	21.6
Thickness	20

All dimensions are precise (rectified)



YORKSTONE

### SINGLE SIZE PACK

900x600	
No./m <sup>2</sup>	1.85
No./pack	48
m <sup>2</sup> /pack	25.92
Thickness	20

All dimensions are precise (rectified)



Use Pavestone Porcelain Tile Protector before grouting



## MONVISO PORCELAIN

see page 40



SMOOTH GREY



DUOMO MINT

### SINGLE SIZE PACK

900x600	
No./m <sup>2</sup>	1.85
No./pack	48
m <sup>2</sup> /pack	25.92
Thickness	20

All dimensions are precise (rectified)

## ANTICO PORCELAIN

see page 42



GRANITE



QUARTZITE

### SINGLE SIZE PACK

800x400	
No./m <sup>2</sup>	3.1
No./pack	54
m <sup>2</sup> /pack	17.28
Thickness	20

All dimensions are non rectified (nominal)

## APULIA PORCELAIN

see page 44



QUARTZITE



ALSACE



LIME

### SINGLE SIZE PACK

900x600	
No./m <sup>2</sup>	1.85
No./pack	42
m <sup>2</sup> /pack	22.68
Thickness	20

All dimensions are precise (rectified)

## ESSENTIAL ADVICE

always use a slurry primer on all Porcelain paving

See page 125 for paving accessories



## DIMENSIONS

**Rectified:** Rectified tiles have sawn, straight edges to achieve a dimensionally precise sizing per batch.

**Non Rectified:** Non rectified tiles are manufactured with a nominal dimensional tolerance.

## AMALFI PORCELAIN

see page 46



ANTHRACITE



GRIS



BEIGE

### SINGLE SIZE PACK

900x600	
No./m <sup>2</sup>	1.85
No./pack	42
m <sup>2</sup> /pack	22.68
Thickness	20

All dimensions are precise (rectified)

## ALFA PORCELAIN

see page 48



STORM



GREY MINERAL



BONE

### SINGLE SIZE PACK

900x600	
No./m <sup>2</sup>	1.85
No./pack	42
m <sup>2</sup> /pack	22.68
Thickness	20

All dimensions are precise (rectified)

## CALIBRA PORCELAIN

see page 50



CHALKBOARD



SILVER GREY



LINEN

### SINGLE SIZE PACK

595x595	
No./m <sup>2</sup>	2.82
No./pack	72
m <sup>2</sup> /pack	25.48
Thickness	20

All dimensions are precise (rectified)

## CLASSIC PORCELAIN

see page 52



ANTHRACITE



GREY



IVORY

### SINGLE SIZE PACK

	1200x600	900x600	600x600
No./m <sup>2</sup>	1.39	1.85	2.78
No./pack	32	40	64
m <sup>2</sup> /pack	23.04	21.6	23.04
Thickness	20	20	20

All dimensions are precise (rectified)

## SETTS PORCELAIN

see page 54

### SINGLE SIZE PACK

	100x100	200x100
No./pack	1000	500
Coverage	10m <sup>2</sup>	10m <sup>2</sup>
Thickness	20	

All dimensions are precise (rectified)



ANTHRACITE

GREY

DUST

## EDGING PORCELAIN

see page 55

### SINGLE SIZE PACK

	1000x160
No./pack	126
Thickness	20
No./Linea m	1

All dimensions are precise (rectified)



ANTHRACITE

GREY

DUST

## SAWN

see page 60



ASH (C)

### SINGLE SIZE PACK

	900x600
No./m <sup>2</sup>	1.83
No./pack	35
m <sup>2</sup> /pack	19.13
Thickness	20(c)

(c) = Calibrated

## POINTING MADE EASY!



Save time with brush-in jointing compound  
See page 124 for paving & walling accessories

## TUDOR ANTIQUE

see page 62



OXFORD



DENBY



CAMBRIDGE



CATHEDRAL



DEANERY



CLOISTER

### CONTRACTOR PACK

**15m<sup>2</sup>** COVERAGE\*

900x600 Qty 13  
600x600 Qty 13  
600x290 Qty 13  
290x290 Qty 9

**Total 48 Pieces**

\* Based on jointing gap of 10-14mm

All shades

### SINGLE SIZE PACK

	1200x600
No./m <sup>2</sup>	1.37
No./pack	30
m <sup>2</sup> /pack	21.9
Thickness	25-45

Oxford only

### SINGLE SIZE PACK

	900x600
No./m <sup>2</sup>	1.83
No./pack	26
m <sup>2</sup> /pack	14.21
Thickness	22(c)

Cathedral only  
(c) = Calibrated

## LAYING ADVICE

All Sandstone must be laid with chamfered edges down.  
Please refer to website for further information.

## INSTALLATION GUIDES

For full laying instructions, visit [www.pavestone.co.uk/technical-information/](http://www.pavestone.co.uk/technical-information/)



## ESSENTIAL ADVICE

always use a slurry primer on all Porcelain paving

See page 125 for paving accessories



## CLASSIC SANDSTONE

see page 68



RAJ BLEND (C)



LIGHT GREY (C)




GOLDEN FOSSIL (C)



BUFF (C)



MODAK (C)



OLD BLACK (C)



RIPPON (C)

## LAYING ADVICE

All Sandstone must be laid with chamfered edges down.  
Please refer to website for further information.

## LIMESTONE

see page 76



KOTA BLUE (C)



KADAPHA (C)



ABBEY (C)

### CONTRACTOR PACK

**15m<sup>2</sup>** COVERAGE\*

900x600 Qty 13  
600x600 Qty 13  
600x290 Qty 13  
290x290 Qty 9

**Total 48 Pieces**

\* Based on jointing gap of 10-14mm

All shades

### SINGLE SIZE PACK

	900x600
No./m <sup>2</sup>	1.83
No./pack	26
m <sup>2</sup> /pack	14.21
Thickness	22

**Kota Blue**  
(c) = Calibrated  
Sawn Edge

### SINGLE SIZE PACK

	900x600	600x600	600x290	290x290
No./m <sup>2</sup>	1.83	2.73	5.61	11.49
No./pack	24	38	85	150
m <sup>2</sup> /pack	13.11	13.92	15.17	13.05
Thickness	22			

**Kadapha**  
(c) = Calibrated  
Sawn Edge

## SLATE

see page 82



RIO (C)

### CONTRACTOR PACK

**14.44m<sup>2</sup>** COVERAGE\*

900x600 Qty 10  
600x600 Qty 16  
600x295 Qty 16

**Total 42 Pieces**

\* Based on jointing gap of 10-14mm

### SINGLE SIZE PACK

	900x600	600x600	600x295
No./m <sup>2</sup>	1.83	2.73	5.52
No./pack	40	40	100
m <sup>2</sup> /pack	21.86	14.65	18.15
Thickness	20(c)		

(c) = Calibrated

**RECOMMENDED**  
**ADVICE**  
use a slurry primer

See page 125 for paving accessories



## LAYING ADVICE

Kadapha will weather to a carbon-grey colour. To refresh the strong black colour we recommend applying Pavestone Black Stone Rejuvenator & Sealer (See page 123).



## STONE SETTS

see page 86



RAJ BLEND

FOSSIL

### MIXED SIZE PACK

**10.6m<sup>2</sup>** COVERAGE\*

200x150 Qty 150  
150x150 Qty 150  
100x150 Qty 150

**Total 450 Pieces**

\* Based on jointing gap of 10mm

**Raj Blend & Fossil**  
Thickness 40-70mm



RAJ BLEND

FOSSIL

LIGHT GREY

### SINGLE SIZE PACK

**8.8m<sup>2</sup>** COVERAGE\*

100x100 Qty 800  
\* Based on jointing gap of 10mm

**Raj Blend, Light Grey & Fossil**  
Thickness 40-70mm



MIDNIGHT

### SINGLE SIZE PACK

**22m<sup>2</sup>** COVERAGE\*

100x100 Qty 2000  
\* Based on jointing gap of 10mm

**Midnight**  
Thickness 18-30mm

### SINGLE SIZE PACK

**3.01m<sup>2</sup>** COVERAGE\*

200x100 Qty 140  
\* Based on jointing gap of 10mm

**Granite Black**  
Thickness 80-100mm



GRANITE BLACK



GRANITE SILVER

### SINGLE SIZE PACK

**4.09m<sup>2</sup>** COVERAGE\*

200x100 Qty 190  
\* Based on jointing gap of 10mm

**Granite Silver**  
Thickness 80-100mm

## TUDOR COBBLE

see page 84



OXFORD

DENBY

### CONTRACTOR PACK

**11.47m<sup>2</sup>** COVERAGE\*

400x300 Qty 41  
300x200 Qty 38  
200x200 Qty 57  
200x150 Qty 41

**Total 177 Pieces**

\* Based on jointing gap of 7-14mm

Thickness 30-50mm



GRANITE BLACK

GRANITE SILVER

### SINGLE SIZE PACK

**7.78m<sup>2</sup>** COVERAGE\*

100x100 Qty 700  
\* Based on jointing gap of 10mm

**Granite Black & Silver**  
Thickness 40-70mm

## NATURAL STONE BLOCK PAVING

see page 88



KADAPHA

### MIXED SIZE PACK

**10.5m<sup>2</sup>** COVERAGE\*

200x150 Qty 150  
150x150 Qty 150  
100x150 Qty 150

**Total 450 Pieces**

Variable thickness

\* For more details on installation, please refer to our website

### SINGLE SIZE PACK

**9m<sup>2</sup>** COVERAGE\*

200x100 Qty 450

Variable thickness



KADAPHA

### SINGLE SIZE PACK

	290x100	215x100
No./pack	238	317
Coverage	7.37m <sup>2</sup>	7.32m <sup>2</sup>
Thickness	40-70 (Nominal)	


Old York & Old Cotswold



OLD YORK

## LAYING PATTERNS

To help you plan your new patio, see our laying patterns on the website [www.pavestone.co.uk/information/patio-laying-patterns/](http://www.pavestone.co.uk/information/patio-laying-patterns/)



**PAVESTONE CLASSIC PACK**  
COVERAGE 21.21m<sup>2</sup>  
No. of pieces per 4.2m x 5.2m area


A 14 No. 900x600mm  
B 14 No. 600x600mm  
C 14 No. 600x400mm  
D 17 No. 600x300mm  
E 18 No. 300x300mm

4.2m

5.2m

4.530m

3.272m



**PAVESTONE LIMESTONE SAWM PATIO PACK**  
COVERAGE 15m<sup>2</sup>  
No. of pieces per 4.53m x 3.27m area

A 13 No. 900x600mm  
B 13 No. 600x600mm  
C 13 No. 600x300mm  
D 13 No. 300x300mm

4.530m

3.272m

## SANDSTONE CIRCLES

see page 90



BUFF

RAJ BLEND

FOSSIL

MODAK

LIGHT GREY

OXFORD\*


### CIRCLE KITS

	Total Pieces	Centre Ø	Ring 1 Ø	Ring 2 Ø	Ring 3 Ø	Squaring off kit
Large (3)	41	600	1500	2400	3300	3600 <sup>2</sup>
Medium (2)	25	600	1500	2400	-	2700 <sup>2</sup>
Small (1)	9	600	1500	-	-	1800 <sup>2</sup>
No. of pieces	-	1	8	16	16	-

Buff, Raj Blend, Fossil, Modak, Light Grey & Oxford\*

\*Oxford is only available in 2400mm circle and 2700mm squaring off kit.

Circles are supplied as a complete kit and may also be purchased as individual rings. The information per ring is for measurement guidance only and is approximate. Corner sets are purchased separately.



The correct way to lay circles is to work from the inside outwards. As with any of our natural stone range, we recommend that the product is laid and tamped down on a firm mortar bed.

**ALWAYS** dry lay prior to final installation to ensure correct spacing is achieved.

## CIRCLE FEATURE



CATHERINE WHEEL

	Full Circle Ø	With Squaring off kit
Size (mm)	2400	2700 <sup>2</sup>
No. of pieces	17	-
Thickness	30-45	30-45

## FIXING PRODUCTS

see page 124



### POINTFIX

12Kg tub  
Coverage: 12Kg tub will cover up to 7.5m<sup>2</sup>  
Standard colours: Mushroom, Buff, Brown, Grey & Black

Please note. Black is not recommended for light coloured paving.



### PRIMING SLURRY

12.5Kg tub  
Apply with brush  
BS 7533 Compliant  
Coverage: 12.5Kg will cover up to 15.62m<sup>2</sup>

Always follow the instructions on the tub.



### WALL & CLADDING ADHESIVE

10Kg tub  
Excellent initial grab - non-slip  
Internal & external use  
Suitable for swimming pools  
Rapid bond  
Grout after 3 hours  
Suitable for underfloor heating



### TILE GROUT

10Kg tub  
Joint width 2-15mm  
Standard colours: White, Cream, Silver Grey, Mid Grey, Slate Grey & Black

### COVERAGE

Please refer to installation guides on our website



**PLEASE NOTE. Do not use any fixing products when surface temperatures are under 5°C or over 25°C. For full instructions, please refer to the tub label or download a Data Sheet from [www.pavestone.co.uk/information/product-data-sheets](http://www.pavestone.co.uk/information/product-data-sheets).**

## BULL NOSE STEPS

see p91



### SINGLE SIZE PACK

Bullnosed:	Treads 1 long edge 600x400	External Corner 400x400	Internal Corner 600x600
Wt/item	25.7kg	17.7kg	41kg
Pack wt	1130kg	778kg	900kg
No./pack	44	44	22
No./Linea m	1.66	-	-
Thickness	40	40	40

TREADS - Lightly textured surface and calibrated bottom

## PAVESETT BLOCK PAVING

see page 94



AUTUMN BROWN



OCHRE GREY



BRINDLE




CHARCOAL



SILVER

### SINGLE SIZE PACK

	200x150	150x150	100x150
No./m <sup>2</sup>	33.33	44.44	66.66
No./pack	312	416	624
m <sup>2</sup> /pack	9.4		
Thickness	50		



## COBBLESETT BLOCK PAVING

see page 100



OCEANIA



SUNSET ROUGE

### SINGLE SIZE PACK

150x150x60	
No./m <sup>2</sup>	44.44
No./pack	476
m <sup>2</sup> /pack	10.71
Thickness	60

## GRASSPARK

see page 101



### SINGLE SIZE PACK

600x400	
No./m <sup>2</sup>	4.2
No./pack	27
m <sup>2</sup> /pack	6.5
Thickness	100

## SLIMSETT BLOCK PAVING

see page 102



BRINDLE



CAMARGUE



ANTHRACITE

### SINGLE SIZE PACK

	200x50	200x60
No./m <sup>2</sup>	100	83.33
No./pack	1008	1008
m <sup>2</sup> /pack	10.08	12.09



**Minimum Water Absorption**

The Pavestone Cobblesett & Slimsett block paving range is manufactured using the latest science in water repellent technology.

## LAYING OPTIONS




BASKET WEAVE



HERRING BONE



STRETCHER BOND



**WARNING.** Never use Rock Salt or De-Icing Salts on concrete paving. Salt corrodes and destroys all concrete through a chemical reaction and in addition will exaggerate the natural freeze thaw cycles that erode the surface of concrete.



**CLEANING MADE EASY!**

Use Pavestone Driveway Cleaner to keep your driveway looking as good as new

See page 122 for all our Sealers & Cleaners

## COPING see page 91



## EDGING see page 91



### STONE COPING

SINGLE SIZE PACK		600x150	600x280
No./pack		150	80
Thickness		40 +/-	40 +/-
No./Linea m		1.67	1.67

### RUSTIC EDGING

SINGLE SIZE PACK		600x150	600x280
No./pack		150	80
Thickness		40 +/-	40 +/-
No./Linea m		1.67	1.67

### BULLNOSE EDGING

SINGLE SIZE PACK		600x150
No./pack		100
Thickness		30
No./Linea m		1.67

### INTERLOC EDGING

SINGLE SIZE PACK		1000x200
No./pack		76
Thickness		60
No./Linea m		1

### WALLING MADE EASY!



Save time with fast-set walling adhesive  
See page 125 for paving & walling accessories

## COTTAGE WALLING see page 106



	290x100x40/70	215x100x40/70
No./Face m <sup>2</sup>	48	63
No./pack	238	317
Face m <sup>2</sup> /pack	5	5


## DRY FELL WALLING see page 107



	200x150	150x150	150x100
No./pack	150	150	150
Thickness	40-70		

One pack covers 3.83 face metres

## MOODUL WALLING see page 108



	WALLING BLOCK 600x300x90	COVER STONE 600x300x75
No./pack	32	48
No./Linea m	1.67	1.67
No./Face m <sup>2</sup>	18.5	-



## STYLE WALLING

see page 110




LIGHT GREY



MEDIUM GREY


	WALLING PANEL 900x450x75	COVER STONE 900x150x75
No./Face m <sup>2</sup>	2.47	-
No./Linea m	-	1.11

### COVER STONE



LIGHT GREY

MEDIUM GREY



STRETCHER BAR

## BURFORD WALLING

see page 112



BUFF BLACK



GOLDEN BUFF



GREY



NATURAL LIGHT WEATHERED



OOLITE CREAM



YATE GREY



IRONSTONE


	65x229x102	65x305x102	140x305x102
No./Face m <sup>2</sup>	56	43	22
No./pack	415	309	153
Face m <sup>2</sup> /pack	7.44	7.30	7.23

## SLATE STACK CLADDING

see page 114



RUSTY



BLUE-BLACK

	240x75	390x75
No./Face m <sup>2</sup>	55.56	34.16
Thickness	17-25	



Slate Stack Cladding must be ordered specifically per m<sup>2</sup>. If in doubt please contact us to calculate your requirement.

## ROCK STACK CLADDING

see page 116



BLACK



WHITE



CREAM



RUST

	385x75
No./Face m <sup>2</sup>	34.7
Thickness	8-12

## BRICK CLADDING

see page 118



SEPIA

	400x160
No./Face m <sup>2</sup>	15.7
Thickness	8-12



## ROCK WALL CLADDING

see page 119



VULCANI

	400x160
No./Face m <sup>2</sup>	15.7
Thickness	8-12



## MINERALI CLADDING

see page 120



ARTICO



ZINCO

	385x75
No./Face m <sup>2</sup>	34.7
Thickness	9

# GET IT RIGHT

with  PAVESTONE



LIMESTONE, ABBEY

It's attention to detail that counts. Follow these do's and don'ts and you'll end up with a result you can show off to family and friends with genuine pride in a job well done.


Above all, take your time and don't skip a single step. You've invested time and money in choosing quality paving that's the right colour and style for your patio or driveway. Now you need to take the same care, if not more, to make sure you lay each and every slab neatly, cleanly and competently.

## Before you place your order



Check you're happy with your choice.

*Still not sure?*



Request a sample from your stockist or call 01386 848650.



View a display at your stockist.  
See website for your nearest stockist.

**+10%**

Buy extra paving to allow for cuts and breakages. **DOUBLE CHECK** your calculations.



When buying all types of paving, **ALWAYS** buy from one batch.

## Before you get started



**Inspect paving on delivery\***

*Always check the paving on delivery and before you start laying.*




If absent during installation **ALWAYS** inspect paving before going away.\*



**Dry lay before laying permanently**

*Essential to make sure the paving fits the area to be laid. Especially where dimensional accuracy is required, such as circle kits.*

## Now you're ready to start



### Lay from different packs to blend colours.

Draw randomly from different packs/containers to assist colour blending.



### Porcelain must always be primed on the back with a slurry primer. We also advise priming Natural stone paving.

This improves the bonding strengths and will extend the lifespan of your project. Always follow the instructions on the tub.



### Space out paving to correct width.

Paving should be spaced to even out joint widths.

### NEVER butt joint.

## Cleaning up & sealing




### NEVER use acid to clean paving.

This will damage the paving. Always use a recommended proprietary cleaner.




See page 122 for our range of sealants & cleaners.

Visit [www.pavestone.co.uk/installation](http://www.pavestone.co.uk/installation) for more information



### ALWAYS lay with a 'full contact' bed of mortar.

This will ensure complete contact is made to the paver, with no voids, providing a much stronger patio.



### NEVER use the spot bed method.

This will create 'voids' which attract insects and vermin. The paving will be also be susceptible to fracture when loaded and can cause staining issues. Paving laid with any void bedding will invalidate any guarantees.



### Tap pavers to make 'full contact' with the mortar.

Using a rubber mallet, tap the pavers making sure they are the correct level.

Natural Stone



Chamfer down

Concrete



Chamfer up

### Chamfered edges. Lay paving the correct way up.

Natural stone is hand cut. The top edge will be clean and straight with the bottom much rougher. Concrete comes out of a mould, with the detailed face on the smaller side.



### ADVERSE WEATHER

Never point or seal in adverse weather conditions (**Surface temperature** must not be less than 5°C or more than 25°C).

\* When paving has been installed, it is deemed that the product has been checked and accepted. Pavestone do not accept any liability if the product has not been inspected prior to installation.

FLY THRU  
THIS GARDEN



DOLOMITE, SUNSET

These are the essential 'Golden Rules' for laying. For more detailed information, watch our 'How To' videos.

PAVESTONE  
**HOWTO**  
VIDEOS



# LAY IT RIGHT

with  PAVESTONE



## Now it's even easier to find out the correct way to laying.

Our extensive range of 'How to' videos will show you everything you need to know to help create your dream patio. Whether you need to see the whole process from start to finish or just need reassuring on certain stages of laying, our videos will show you all you need to know.



# HOWTO

## LAY A NATURAL STONE PATIO



*From marking out the area, to pointing up the paving, Pavestone's Expert Landscaper Mark Brown, shows you every step to help you create a natural stone patio.*



# HOWTO

## LAY A PORCELAIN PATIO



DOLOMITE, SLATE  
WITH PORCELAIN SETTS

FLY THRU



THIS GARDEN



## Complex Designs? No problem!

Straight cuts. Curved cuts. Intricate cuts.

*Although Porcelain is laid similarly to Natural Stone, Mark guides you through the slight differences, such as grouting the joints and how to cut Porcelain using different power tools.*

All you need to know to cut and create the most adventurous designs. And of course how to cut straight patios too!

HOWTO  
CUT  
PORCELAIN



## TRADING ETHICALLY

Pavestone has a fundamental belief that the poor and vulnerable within the communities that produce our stone products should derive benefits from our local trading beyond the simplicity of the stone workers pay. We work closely in partnership with our suppliers to improve the quality of life, not only for those immediately employed by our supply partners but also all those living in and around their community.

Pavestone has always been acutely conscious of the concerns raised through consumers' increasing awareness of the ethical issues associated with the production of natural stone products from India.

For many years we have been importing only from audited stone producers who can successfully demonstrate that their processes meet the moral and ethical codes as established by the ETI (Ethical Trading Initiative) Base Code. In doing so we have contributed to the economic success of the communities in which our stone processors work and have helped to provide a safer and more secure working environment for our supplier partners' employees.

Pavestone is committed to ensuring that the working conditions of employees in our partner supply companies meet or exceed international standards and for many years we have adopted the ETI Base Code as a criteria for our supply chain.



### The ETI Base Code

1. Employment should be freely chosen with no forced, bonded or involuntary labour.
2. Workers have the right to join or form trade unions of their own choosing and to bargain collectively.
3. A safe and healthy working environment shall be provided.
4. Child labour shall not be used.
5. Wages should always be enough to meet basic needs and to provide some discretionary income.
6. Working hours are not excessive and comply with national laws and benchmark industry standards.
7. Workers should be treated equally regardless of race, caste, national origin, religion, age, disability, gender, marital status, sexual orientation, union membership or political affiliation.
8. Regular employment for individuals should be provided where work is ongoing.
9. No harsh or inhumane treatment of workers. Physical abuse (or threat of), sexual or other harassment including verbal abuse or intimidation shall be prohibited.

For further information on the Ethical Trading Initiative and the Base Code please visit:

[www.ethicaltrade.org](http://www.ethicaltrade.org)



## SUSTAINABILITY

Pavestone strives to minimise and continually reduce the adverse impacts of all our operations both in the immediate, local environment and throughout our supply chain globally. We also seek to contribute to the economic success of the communities in which we work and to provide a safe, secure working environment for both our employees and our supplier partners' employees.

### Corporate Social Responsibility

Our Corporate Social Responsibility initiatives seek to make our businesses more accountable for our actions and decisions.

We are committed to full legal compliance in all that we do and to make our business accountable to those that we directly or indirectly impact upon through the adoption of good practices.

Practices include:

- Creating a safe environment and a rewarding career for all our employees.
- Hold regular local residents 'open meetings' to discuss our impact on their local life.
- Monitoring and managing the environmental impact of all our operations.
- Monitoring and understanding the environmental impact of our suppliers operations.

### Environmental Policy

Pavestone recognises that it has an obligation to help protect the environment and the neighbourhoods in which we operate. Our awareness is a fundamental part of the Pavestone business strategy. We will seek as far as is reasonably practicable to minimise the company's effects on the environment.

Main initiatives include:

- Ensuring environmental issues are considered carefully at all levels when planning and conducting business activities and that our employees understand and act in accordance with our environmental aims.
- Working co-operatively with regulatory bodies including the environment agency and Local Authorities in addition to our industry trade association the Builders' Merchants Federation (BMF) so as to facilitate full awareness and contribution to environmental legislation changes.
- Managing our activities in line with best business practice to control the impact on the local community from noise, dust, light emissions and traffic movements.
- Annual reduction in energy consumption water usage waste production and improved segregation for reuse/recycling.
- Production of environmentally friendly ranges of products.

## GENERAL INFORMATION

### Dimensions and coverage

Dimensions stated on all paving ranges in this brochure are nominal and for guidance only. The area coverage of natural stone quoted in the brochure includes the appropriate joint widths to enable the correct amount of product to be purchased to cover a given area.

Where space is critical and particularly when a circle or feature kit is being incorporated into a design, it is essential that the product is dry laid in order to understand the gaps required to make the feature work. Retrospective correction of gaps once a job is underway is not always possible. Basic laying patterns with joint widths are available upon request from Pavestone. We reserve the right to change dimensions and pack sizes without notice.

### Colours

Our porcelain and concrete products contain pigments that can vary slightly in colour from time to time. We therefore cannot guarantee that manufactured products from different production batches will always have identical colouration. Therefore we advise, when using several packs of paving or walling on a project, that the product is drawn randomly from all of the packs being used to achieve an overall well blended appearance.

Variations in colour and shading will occur in porcelain and natural stone paving. The swatches reproduced in this brochure are as accurate as reprographic processes allow and are indications of the overall hue produced by the variety of colour variations in the given product. It is essential that you view the actual product at your stockist prior to purchasing. It is also advisable to inspect the product as soon as it is delivered to site, to ensure it is suitable prior to installation.

When laying multiple packs of porcelain or natural stone paving, care should be taken to ensure that product is drawn equally from all of the available packs as the project progresses rather than one pack at a time. This eliminates patches of colours and gives a seamless, more natural blend of colours to the finished project.

### Maintenance

Pressure washing is not recommended as it will damage the jointing and the face of concrete paving. We have a range of cleaning & sealing products and are happy to advise on the use of these if warm soapy water and a stiff broom fails to satisfy. Specific spillages of strong coloured liquids should be wiped off the paving immediately with a damp cloth to prevent any permanent damage.

### Warranties

In the unlikely event of our products reaching you in a less than satisfactory condition, please notify your supplier immediately who will be happy to organise replacements. Please note that if a product is knowingly laid with a defect apparent prior to laying then we reserve the right not to replace the product and will not accept any responsibility for costs incurred to rectify.

**When paving has been installed, it is deemed that the product has been checked and accepted. Pavestone do not accept any liability if the product has not been inspected prior to installation.**

Defects affecting the product functionality that appear, within one year of purchase, will be corrected by way of replacement product and may or may not include some assistance to rectify depending on the circumstances.

No consequential losses will be accepted.

All products carry the UK Conformity Assessed (UKCA) certification markings on the product packaging demonstrating their technical conformity.

### Sealing

Pavestone have a range of sealers. Always use in accordance with the manufacturers instructions.

### Porcelain paving

Porcelain Paving needs to be laid on a sub base and full contact mortar bed, like natural stone paving. However, and just as important, a slurry primer must be applied to the reverse of each tile prior to laying to facilitate full adhesion. Without this coating, adhesion of the tile may fail. For full instructions please visit our website:

<http://www.pavestone.co.uk/technical-detail/laying-instructions/>

Porcelain paving is made in batches and each batch can vary in colour and/or size therefore it is imperative to buy your total requirements from one batch. It is also best practice, prior to laying, to open as many packs as possible and place one tile from each pack next to each other to make sure you are happy with the colour and size.

As porcelain is made in very high temperatures there is an International Standard that allows Porcelain Manufacturers a tolerance for a bow. This is generally seen on larger rectangular tiles and any lipping can be minimised by offsetting the pattern to a 2/3 or 3/4 bond.

### Grouting

Areas to be grouted must be fully dry, especially the joints. Paving should also be thoroughly cleaned after grouting. We recommend the use of Pavestone Porcelain Tile Protector prior to grouting to aid easier cleaning.

### Note

Product ranges, colours and sizes available are correct at the time of going to print. Pavestone reserves the right to alter its offering at any time, without prior notification.

For more information, inspiration and product updates visit our website, follow us on twitter or find us on facebook.

[www.pavestone.co.uk](http://www.pavestone.co.uk)

 Pavestone UK Limited

 Pavestoneuk

 @pavestone



## ACKNOWLEDGMENTS

Brochure design by Think Creative 07852 705871  
Michael Prior Photography 01869 810442

### With special thanks to:

Astley Partnership Ltd 07714 883365  
Avery Landscapes 01886 884266  
A&R Landscapes 07730 570889  
Birch Meadow Landscaping Ltd 01598 711824  
CA Belcher Landscaping 07824 629747  
GSG Landscapes Gardeners 07772 045703  
Jakk Construction 07518 921218  
JTPS Landscapes 07885 648283  
Mango Paving and Landscaping Ltd 01392 690212  
Melwood Landscapes 01562 884075  
Stonewood Landscapes Ltd 07970 664024  
Village Landscapes 07745 729313  
West End Landscapes 07875 257329

For more information about these landscapers visit  
[www.pavestone.co.uk/highlighted-landscapers](http://www.pavestone.co.uk/highlighted-landscapers)

Brochure printed in the UK using material from sustainable forests.





To find your local stockist or landscaper visit our website  
[www.pavestone.co.uk](http://www.pavestone.co.uk)



To request a sample,  
ask your local stockist  
or call us on  
**01386 848650**

## **PAVESTONE**

Pavestone UK Limited  
Westington Quarry,  
Chipping Campden,  
Gloucestershire GL55 6EG  
Tel 01386 848650  
Fax 01386 849072  
[sales@pavestone.co.uk](mailto:sales@pavestone.co.uk)  
[enquiries@pavestone.co.uk](mailto:enquiries@pavestone.co.uk)  
[www.pavestone.co.uk](http://www.pavestone.co.uk)

This publication or any part thereof may not be reproduced in any form without the written agreement of Pavestone UK Limited.  
© Copyright Pavestone UK Limited 2023.

CLASSIC SANDSTONE, RAJ BLEND

